



3 March 2022

HIGH GRADE ZINC-LEAD INTERSECTIONS AT IROQUOIS IN EARAHEEDY BASIN

IROQUOIS CONTINUES TO DELIVER OUTSTANDING ZN-PB RESULTS

Key Points:

- **Excellent standout result received in IQRC010:**
 - **8m @ 5.2% Zn from 95m; and**
5m @ 10.1% Zn + Pb from 110m (within a broader zone of 18m @ 4.2% Zn + Pb)
- **IQRC010 was drilled 100m east of discovery hole IQRC001 towards the ‘feeder zone’ structure, confirming the Company’s emerging model of the zinc-lead mineralisation**
- **Planning for follow up drill programs underway**
- **Native Title Heritage surveys scheduled for early April 2022**

Introduction

Strickland Metals Limited (ASX:STK) (“**Strickland**” or “the **Company**”) is pleased to provide an update of its recently discovered zinc-lead mineralisation at the Iroquois prospect (80% Strickland; 20% Gibb River Diamonds Ltd (ASX:GIB)).

Management Comment

Andrew Bray, Chief Executive Officer, said: “It’s very pleasing to see Iroquois delivering further excellent results. In line with our growing knowledge of the mineralisation, we are becoming increasingly optimistic about the potential for Iroquois and its surrounding areas to develop into a substantial base metal project.

The drilling results to date, coupled with the geochemical and geophysical programs we’ve undertaken over the last nine months, have outlined a clear priority area for follow up drilling to the north-east of the existing mineralisation. This will be the focus of the next RC program at Iroquois, potentially to commence as early as next month.

Wider soil sampling programs are also likely to occur throughout 2022 to locate possible further ‘feeder zones’ to the zinc-lead mineralisation.

Between Strickland’s discovery at Iroquois, and Rumble Resources Ltd’s fantastic success at its various discoveries, the Earahedy Basin is shaping up as a very exciting base metal province. Most pleasingly, Strickland controls approximately 30km of strike along the Basin contact.

Overall, Strickland is in the enviable position of having an incredibly exciting 23,000m resource drill out program fully underway at our primary Millrose Gold Project, but also an equally exciting early-stage base metal discovery in the Earahedy Basin with Iroquois.

New Iroquois Assays

The Company is pleased to report a standout assay received from its 2021 RC program conducted at Iroquois:


- **IQRC010: 8m @ 5.2% Zn from 95m; and**
5m @ 10.1% Zn + Pb from 110 m (within a broader zone of 18m @ 4.2% Zn + Pb)

These fresh rock intersections follow from the discovery hole results released to the market on 14 October 2021:

- **IQRC001: 23m @ 5.5% Zn + Pb from 108m (combined), including;**
14m @ 4.5% Zn from 108m (true depth 90m) and 9m @ 7% Zn + Pb from 135m (true depth 110m)
- **IQRC003: 12m @ 5.4% Zn + Pb from 58m (combined), including;**
6m @ 6.2% Zn from 58m (true depth 50m) and 6m @ 4.6% Zn + Pb from 96m (true depth 80m)

It also follows the further assays from the same program released on February 15, 2022:

- **IQRC004: 3m @ 7.6% Zn from 65m (within a broader 14m @ 2.2% Zn)**
- **IQRC005: 10m @ 3.7% Zn from 123m (within a broader 20m @ 2.4% Zn)**



The result in IQRC010 confirms the previously observed upper 'zinc only' zone and the lower 'zinc + lead' zone.

The Company is continuing to develop a stronger understanding of the Iroquois mineralisation. The result in IQRC010 correlates perfectly with Strickland's emerging view of the prospect (see announcement dated 28 February 2022), namely that the mineralising structure is trending north-east (see Figure 1), with mineralisation expected to be strongest in areas proximal to 'feeder zone' structures.

IQRC010 was drilled 100m to the east of discovery hole IQRC001 towards the interpreted 'feeder zone' structure, lending further credence to this model.

Importantly, it appears as though elevated copper soil anomalism is an effective marker of possible 'feeder zones', with a potential second one having been located to the south east of this mineralisation (Figure 1).

Three other assays were also received, however, all holes were drilled too far west of the feeder zone structure. This only became apparent upon receipt of subsequent results. Additionally, drilling was constrained by historic native title heritage clearance surveys. The three assays include:

- IQRC006: 7 metres @ 0.7% Zn + Pb from 58 metres;
- IQRC007: 13 metres @ 0.4% Zn + Pb from 43 metres; and
- IQRC011: 23 metres @ 1.6% Zn + Pb from 26 metres (oxide), within a broader halo of 54m @ 0.9% Zn + Pb.




Figure 2: Cross section showing strong mineralisation proximal to the 'feeder zone' structure

Native Title

Previous drilling has been constrained by historic native title heritage clearance surveys. These historically cleared holes are denoted by the small green circles in Figure 1. Drilling closer to the interpreted zone (i.e. drilling to the east) has not been historically possible.

Pleasingly, the Company has scheduled a heritage survey to occur in early April 2022 over the Iroquois prospect and surrounding areas. Upon receipt of the Heritage Clearance report, the Company is planning for follow-up RC drilling to commence possibly as early as next month.

Strickland is in the enviable position of having rigs full time on site for the remainder of 2022, providing maximum flexibility around further programs at Iroquois and the surrounding areas.

Project location

The Iroquois discovery is located directly along strike from Rumble Resources Limited's (ASX : RTR) Earahedy Project Chinook zinc-lead discovery. Both discoveries suggest the Earahedy Basin margin is emerging as a significant new mineralised province and is highly prospective for further zinc-lead discoveries. Strickland controls approximately 30 kilometres of strike extending from the Rumble Resources Earahedy Project (Figure 3).




Figure 3: Project location compared to RTR's Chinook discovery

The drilling to date indicates strong continuity of mineralisation and highlights a substantial potentially mineralised zone which requires further drilling along strike. At this stage, drilling has only occurred on the western side of a key regional fault structure (Figure 1). Given the style of mineralisation, it is expected to be repeated on the eastern side of the fault.

This ASX announcement was approved and authorised for release by the Chief Executive Officer of the Company.

For more information contact:

Andrew Bray

Chief Executive Officer

Phone: +61 (2) 8316 3991

info@stricklandmetals.com.au

stricklandmetals.com.au

Competent Person Statement

The information in this report that relates to Exploration Results or Mineral Resources is based on information compiled or reviewed by Mr Peter Langworthy who is a consultant to Strickland Metals Limited and is a current Member of the Australian Institute of Mining and Metallurgy. Mr Peter Langworthy has sufficient experience, which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Langworthy consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.



Appendix A

Table 1: RC Drill Hole Assay Table

| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC001 | 0 | 4 | 0.002 | 0.002 | 0.004 | 0.12 | <0.02 | 11.5 | 2.1 | 6.4 | 4.89 | 0.008 |
| IQRC001 | 4 | 8 | 0.002 | 0.002 | 0.004 | 0.11 | <0.02 | 5.19 | 1.1 | 3.1 | 1.65 | 0.007 |
| IQRC001 | 8 | 12 | 0.001 | 0.013 | 0.014 | 0.16 | <0.02 | 17.45 | 10.8 | 4.6 | 2.42 | 0.018 |
| IQRC001 | 12 | 16 | 0.003 | 0.03 | 0.033 | 2.54 | 0.02 | 8.43 | 2 | 9 | 6.71 | 0.007 |
| IQRC001 | 16 | 17 | 0.022 | 0.068 | 0.091 | 3.34 | <0.02 | 36.5 | 3 | 12.3 | 19.1 | 0.025 |
| IQRC001 | 17 | 18 | 0.03 | 0.052 | 0.082 | 1.22 | 0.03 | 20.6 | 5.7 | 11.5 | 25.3 | 0.05 |
| IQRC001 | 18 | 19 | 0.018 | 0.129 | 0.147 | 1.24 | 0.03 | 25.8 | 10.9 | 11.1 | 19.35 | 0.161 |
| IQRC001 | 19 | 20 | 0.01 | 0.198 | 0.208 | 1.01 | 0.03 | 19.5 | 8.5 | 11.8 | 12.7 | 0.138 |
| IQRC001 | 20 | 21 | 0.008 | 0.292 | 0.3 | 0.81 | 0.03 | 28.5 | 6.3 | 19.3 | 10.6 | 0.096 |
| IQRC001 | 21 | 22 | 0.009 | 0.274 | 0.283 | 0.38 | 0.05 | 23.7 | 3.6 | 17.4 | 8.78 | 0.091 |
| IQRC001 | 22 | 23 | 0.008 | 0.082 | 0.09 | 0.32 | <0.02 | 6.57 | 5.7 | 15.3 | 5.57 | 0.121 |
| IQRC001 | 23 | 24 | 0.015 | 1.25 | 1.265 | 0.58 | 0.05 | 13.4 | 46.6 | 50.3 | 7.47 | 1.335 |
| IQRC001 | 24 | 25 | 0.031 | 2.88 | 2.911 | 0.43 | 0.07 | 15.15 | 94.3 | 103 | 8.28 | 2.9 |
| IQRC001 | 25 | 26 | 0.038 | 2.83 | 2.868 | 0.54 | 0.06 | 15.6 | 83.3 | 112 | 8.27 | 3.01 |
| IQRC001 | 26 | 27 | 0.054 | 5.5 | 5.554 | 0.75 | 0.13 | 23.6 | 159.5 | 208 | 5.41 | 5.63 |
| IQRC001 | 27 | 28 | 0.03 | 1.625 | 1.655 | 0.85 | 0.06 | 13.1 | 42.9 | 69 | 5.93 | 1.55 |
| IQRC001 | 28 | 29 | 0.019 | 0.281 | 0.3 | 0.53 | 0.02 | 7.74 | 30.6 | 24.7 | 6.37 | 0.291 |
| IQRC001 | 29 | 30 | 0.036 | 0.268 | 0.304 | 0.97 | <0.02 | 8.05 | 23.3 | 30.1 | 9.41 | 0.284 |
| IQRC001 | 30 | 31 | 0.031 | 0.436 | 0.467 | 0.34 | 0.02 | 6.62 | 54.8 | 50.4 | 6.85 | 0.451 |
| IQRC001 | 31 | 32 | 0.055 | 0.216 | 0.271 | 0.51 | 0.04 | 36.9 | 20.5 | 188 | 12.35 | 0.156 |
| IQRC001 | 32 | 33 | 0.061 | 1.06 | 1.121 | 0.61 | 0.19 | 29.1 | 71 | 320 | 9.07 | 1.645 |
| IQRC001 | 33 | 34 | 0.046 | 0.166 | 0.212 | 1.01 | 0.23 | 24.3 | 8 | 172.5 | 3.9 | 0.141 |
| IQRC001 | 34 | 35 | 0.093 | 0.327 | 0.42 | 0.73 | 0.41 | 42 | 17.8 | 229 | 7.17 | 0.31 |
| IQRC001 | 35 | 36 | 0.083 | 0.428 | 0.511 | 0.72 | 0.24 | 27.6 | 22.7 | 137.5 | 10.4 | 0.396 |
| IQRC001 | 36 | 37 | 0.391 | 0.065 | 0.456 | 1.81 | 1.29 | 22.9 | 15.5 | 360 | 3.48 | 0.067 |
| IQRC001 | 37 | 38 | 0.458 | 0.081 | 0.539 | 1.93 | 1.1 | 43.3 | 16 | 394 | 6.49 | 0.061 |
| IQRC001 | 38 | 39 | 0.65 | 0.35 | 1 | 0.69 | 1.02 | 117.5 | 55.3 | 1970 | 4.75 | 0.105 |
| IQRC001 | 39 | 40 | 0.728 | 0.44 | 1.168 | 0.66 | 1.17 | 291 | 102 | 2010 | 6.45 | 0.262 |
| IQRC001 | 40 | 41 | 0.667 | 0.47 | 1.137 | 1.07 | 3.01 | 175 | 55.7 | 1120 | 7.41 | 0.633 |
| IQRC001 | 41 | 42 | 0.672 | 1.065 | 1.737 | 1.57 | 8.59 | 278 | 79.1 | 1440 | 8.27 | 1.775 |
| IQRC001 | 42 | 43 | 0.687 | 1.66 | 2.347 | 1.48 | 9.24 | 394 | 113 | 2040 | 8.22 | 2.47 |
| IQRC001 | 43 | 44 | 0.685 | 2.05 | 2.735 | 1.91 | 15.25 | 491 | 116 | 2070 | 9.65 | 3.26 |
| IQRC001 | 44 | 45 | 0.804 | 2.14 | 2.944 | 1.69 | 14.95 | >500 | 115.5 | 2010 | 11 | 3.52 |
| IQRC001 | 45 | 46 | 0.658 | 2.04 | 2.698 | 1.94 | 17.05 | >500 | 112 | 1980 | 12.1 | 3.46 |
| IQRC001 | 46 | 47 | 0.942 | 2.18 | 3.122 | 1.4 | 14.9 | >500 | 117.5 | 2040 | 11.9 | 3.66 |
| IQRC001 | 47 | 48 | 1.11 | 2.55 | 3.66 | 1.58 | 16.05 | 490 | 137 | 2270 | 11.5 | 4.61 |
| IQRC001 | 48 | 49 | 1.495 | 3.48 | 4.975 | 1.23 | 16.45 | 431 | 184 | 2700 | 10.4 | 6.51 |
| IQRC001 | 49 | 50 | 1.285 | 2.19 | 3.475 | 1.05 | 12.45 | 463 | 126.5 | 2380 | 11.15 | 3.75 |
| IQRC001 | 50 | 51 | 0.833 | 2.22 | 3.053 | 1.13 | 17.95 | 344 | 116.5 | 1720 | 8.72 | 3.86 |
| IQRC001 | 51 | 52 | 0.644 | 1.78 | 2.424 | 1.68 | 18.95 | 159.5 | 91 | 1140 | 5.68 | 3.33 |
| IQRC001 | 52 | 53 | 0.549 | 1.55 | 2.099 | 1.18 | 53.8 | 78 | 66 | 699 | 3.9 | 2.82 |
| IQRC001 | 53 | 54 | 0.587 | 1.61 | 2.197 | 1.07 | 57.5 | 112.5 | 66.4 | 777 | 4.38 | 2.82 |
| IQRC001 | 54 | 55 | 0.602 | 1.08 | 1.682 | 1.07 | 61.1 | 54.1 | 41.6 | 526 | 3.85 | 1.97 |
| IQRC001 | 55 | 56 | 0.622 | 1.07 | 1.692 | 0.89 | 73.2 | 57.9 | 44.5 | 490 | 3.66 | 1.945 |
| IQRC001 | 56 | 57 | 0.879 | 0.739 | 1.618 | 0.91 | 74.5 | 48.2 | 30.5 | 322 | 2.42 | 1.475 |
| IQRC001 | 57 | 58 | 1.23 | 0.552 | 1.782 | 1.15 | 95.3 | 39.6 | 19 | 328 | 1.82 | 1.095 |
| IQRC001 | 58 | 59 | 0.731 | 0.384 | 1.115 | 0.63 | 60.9 | 30.7 | 15.7 | 213 | 1.61 | 0.818 |
| IQRC001 | 59 | 60 | 0.276 | 0.135 | 0.411 | 0.28 | 16.95 | 14.1 | 5.9 | 78.4 | 0.77 | 0.374 |
| IQRC001 | 60 | 61 | 0.171 | 0.058 | 0.229 | 0.18 | 10.5 | 6.63 | 3.6 | 35.8 | 0.66 | 0.219 |
| IQRC001 | 61 | 62 | 0.113 | 0.047 | 0.16 | 0.13 | 5.36 | 5.27 | 3.2 | 28.1 | 0.66 | 0.184 |
| IQRC001 | 62 | 63 | 0.286 | 0.08 | 0.366 | 0.26 | 16.85 | 7.62 | 5.7 | 43.5 | 0.73 | 0.27 |
| IQRC001 | 63 | 64 | 0.545 | 0.039 | 0.584 | 0.38 | 73.6 | 4.96 | 5.3 | 35.6 | 1.11 | 0.178 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC001 | 64 | 65 | 0.539 | 0.056 | 0.595 | 0.36 | 70.7 | 6.44 | 6.2 | 51.8 | 1.27 | 0.183 |
| IQRC001 | 65 | 66 | 0.551 | 0.084 | 0.635 | 0.57 | 69.3 | 7.96 | 8.2 | 69.4 | 1.43 | 0.245 |
| IQRC001 | 66 | 67 | 0.456 | 0.095 | 0.551 | 0.76 | 48.3 | 10.2 | 7.2 | 70.3 | 1.52 | 0.301 |
| IQRC001 | 67 | 68 | 0.538 | 0.194 | 0.732 | 0.7 | 65.3 | 28.2 | 13.3 | 150.5 | 1.99 | 0.482 |
| IQRC001 | 68 | 69 | 0.546 | 0.041 | 0.587 | 0.73 | 55.9 | 5.97 | 6.8 | 45.8 | 1.47 | 0.238 |
| IQRC001 | 69 | 70 | 0.493 | 0.041 | 0.534 | 1.71 | 76.6 | 5.3 | 6.4 | 73.2 | 1.84 | 0.168 |
| IQRC001 | 70 | 71 | 0.434 | 0.035 | 0.469 | 2.2 | 43.1 | 7.09 | 6.8 | 69 | 2.9 | 0.142 |
| IQRC001 | 71 | 72 | 0.319 | 0.033 | 0.352 | 1.24 | 35.5 | 6.49 | 5.8 | 43.9 | 1.98 | 0.209 |
| IQRC001 | 72 | 76 | 0.023 | 0.01 | 0.033 | 0.26 | 1.96 | 5.77 | 3.2 | 12.8 | 1.22 | 0.16 |
| IQRC001 | 76 | 80 | 0.012 | 0.003 | 0.015 | 0.11 | 1.11 | 4.34 | 2.6 | 10.2 | 0.88 | 0.144 |
| IQRC001 | 80 | 84 | 0.011 | 0.004 | 0.015 | 0.18 | 1 | 6.27 | 3.5 | 11.6 | 1.48 | 0.168 |
| IQRC001 | 84 | 85 | 3.84 | 0.004 | 3.844 | 4.06 | 273 | 5.45 | 10.8 | 52.6 | 2.1 | 0.131 |
| IQRC001 | 85 | 86 | 0.16 | 0.004 | 0.164 | 0.32 | 10.95 | 7.27 | 4.2 | 8 | 1.52 | 0.19 |
| IQRC001 | 86 | 87 | 0.074 | 0.005 | 0.079 | 0.2 | 5.54 | 3.85 | 2.5 | 7.9 | 0.74 | 0.175 |
| IQRC001 | 87 | 88 | 0.051 | 0.004 | 0.055 | 0.15 | 3.71 | 3.25 | 2.2 | 7.9 | 0.64 | 0.183 |
| IQRC001 | 88 | 92 | 0.033 | 0.001 | 0.035 | 0.14 | 2.33 | 3.89 | 2.5 | 11 | 0.71 | 0.176 |
| IQRC001 | 92 | 96 | 0.01 | 0.001 | 0.011 | 0.12 | 0.54 | 3.76 | 2.3 | 8 | 0.71 | 0.148 |
| IQRC001 | 96 | 100 | 0.012 | 0.001 | 0.013 | 0.11 | 0.97 | 3.81 | 2 | 12 | 0.61 | 0.186 |
| IQRC001 | 100 | 104 | 0.003 | 0.001 | 0.004 | 0.07 | 0.19 | 3.21 | 1.5 | 9.8 | 0.52 | 0.106 |
| IQRC001 | 104 | 105 | 0.003 | 0.001 | 0.004 | 0.07 | 0.2 | 6.81 | 2.1 | 4.5 | 1.55 | 0.064 |
| IQRC001 | 105 | 106 | 0.052 | 0.001 | 0.053 | 0.16 | 3.44 | 9.86 | 2.1 | 5.2 | 1.99 | 0.09 |
| IQRC001 | 106 | 107 | 0.01 | 0.002 | 0.012 | 0.08 | 0.73 | 7.72 | 2.4 | 5.9 | 1.49 | 0.178 |
| IQRC001 | 107 | 108 | 0.005 | 0.001 | 0.006 | 0.05 | 0.32 | 4.31 | 1.6 | 4.5 | 0.92 | 0.126 |
| IQRC001 | 108 | 109 | 15.6 | 0.144 | 15.744 | 13.25 | 932 | 2.7 | 45.1 | 207 | 59.2 | 0.14 |
| IQRC001 | 109 | 110 | 21 | 0.095 | 21.095 | 15.9 | >1000 | 1.72 | 52.7 | 220 | 62.7 | 0.106 |
| IQRC001 | 110 | 111 | 6.56 | 0.043 | 6.603 | 5.11 | 390 | 2.57 | 21.4 | 73.3 | 17.55 | 0.152 |
| IQRC001 | 111 | 112 | 0.54 | 0.02 | 0.56 | 0.68 | 39.6 | 4.65 | 4.1 | 11.9 | 3.26 | 0.136 |
| IQRC001 | 112 | 113 | 0.424 | 0.022 | 0.446 | 0.66 | 30.1 | 7.32 | 4.8 | 11.9 | 3.08 | 0.144 |
| IQRC001 | 113 | 114 | 0.313 | 0.009 | 0.322 | 0.38 | 21.1 | 7.5 | 3.3 | 10.2 | 2.84 | 0.196 |
| IQRC001 | 114 | 115 | 1.725 | 0.004 | 1.729 | 1.11 | 129.5 | 3.93 | 6.1 | 22.3 | 2.06 | 0.148 |
| IQRC001 | 115 | 116 | 2.95 | 0.004 | 2.954 | 1.75 | 216 | 3.57 | 8.6 | 32 | 2.53 | 0.226 |
| IQRC001 | 116 | 117 | 0.134 | 0.004 | 0.138 | 0.2 | 10.35 | 4.89 | 2.8 | 7.2 | 1.54 | 0.162 |
| IQRC001 | 117 | 118 | 0.168 | 0.004 | 0.172 | 0.25 | 11.6 | 5.79 | 3.7 | 8 | 2.41 | 0.16 |
| IQRC001 | 118 | 119 | 1.445 | 0.003 | 1.448 | 1.39 | 93.9 | 5.32 | 10.1 | 111.5 | 3.61 | 0.158 |
| IQRC001 | 119 | 120 | 0.32 | 0.021 | 0.341 | 0.31 | 29.6 | 6.53 | 3.3 | 11.9 | 2.02 | 0.215 |
| IQRC001 | 120 | 121 | 10.45 | 0.207 | 10.657 | 6.34 | 944 | 7.86 | 21.3 | 113 | 2.96 | 0.114 |
| IQRC001 | 121 | 122 | 1.205 | 0.03 | 1.235 | 0.87 | 113.5 | 10.75 | 5.1 | 17.8 | 3.2 | 0.379 |
| IQRC001 | 122 | 123 | 0.234 | 0.006 | 0.24 | 0.22 | 20.3 | 3.89 | 2.8 | 6.8 | 1.16 | 0.238 |
| IQRC001 | 123 | 124 | 0.148 | 0.003 | 0.151 | 0.27 | 12.25 | 3.87 | 2.4 | 6.8 | 1.02 | 0.257 |
| IQRC001 | 124 | 125 | 0.101 | 0.003 | 0.104 | 0.18 | 9.44 | 4.33 | 2.3 | 5.2 | 1.12 | 0.219 |
| IQRC001 | 125 | 126 | 0.109 | 0.003 | 0.112 | 0.18 | 10.6 | 4.54 | 2.7 | 5.2 | 1.58 | 0.353 |
| IQRC001 | 126 | 127 | 0.079 | 0.003 | 0.082 | 0.26 | 8.01 | 2.63 | 2.1 | 6.2 | 0.72 | 0.147 |
| IQRC001 | 127 | 128 | 0.087 | 0.003 | 0.09 | 0.22 | 8.5 | 3.87 | 2.1 | 5.7 | 0.97 | 0.169 |
| IQRC001 | 128 | 129 | 0.152 | 0.004 | 0.156 | 0.23 | 12.9 | 3.16 | 2.1 | 7.8 | 0.8 | 0.19 |
| IQRC001 | 129 | 130 | 1.125 | 0.013 | 1.138 | 1.1 | 94.1 | 3.55 | 3.9 | 16.1 | 1.31 | 0.203 |
| IQRC001 | 130 | 131 | 0.132 | 0.004 | 0.136 | 0.28 | 11.15 | 3.03 | 2.3 | 5.5 | 0.76 | 0.158 |
| IQRC001 | 131 | 132 | 0.173 | 0.006 | 0.179 | 0.26 | 13.25 | 5 | 3.9 | 8.1 | 1.18 | 0.189 |
| IQRC001 | 132 | 133 | 0.677 | 0.098 | 0.775 | 0.55 | 38.5 | 20.1 | 19 | 31.5 | 4.82 | 0.511 |
| IQRC001 | 133 | 134 | 0.119 | 0.018 | 0.137 | 0.16 | 5.47 | 6.27 | 4.3 | 6.2 | 1.53 | 0.161 |
| IQRC001 | 134 | 135 | 0.456 | 0.018 | 0.474 | 0.43 | 23.7 | 4.61 | 5.4 | 7.4 | 1.36 | 0.183 |
| IQRC001 | 135 | 136 | 1.675 | 0.017 | 1.692 | 1.53 | 96.7 | 4.87 | 8.6 | 17.1 | 1.99 | 0.179 |
| IQRC001 | 136 | 137 | 2.57 | 0.043 | 2.613 | 1.73 | 186 | 4.84 | 9.3 | 24.6 | 2.58 | 0.154 |
| IQRC001 | 137 | 138 | 8.85 | 12.7 | 21.55 | 31.4 | 647 | 6.05 | 21.2 | 70.7 | 7.52 | 0.098 |
| IQRC001 | 138 | 139 | 9.58 | 0.247 | 9.827 | 5.1 | 788 | 4.29 | 18.2 | 85.3 | 4.59 | 0.108 |
| IQRC001 | 139 | 140 | 10.9 | 1.725 | 12.625 | 11.5 | 805 | 4.08 | 21.2 | 89.4 | 6.46 | 0.162 |
| IQRC001 | 140 | 141 | 10.45 | 1.91 | 12.36 | 11 | 785 | 2.89 | 18.1 | 67.1 | 2.91 | 0.109 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC001 | 141 | 142 | 0.59 | 0.158 | 0.748 | 0.82 | 43 | 3.42 | 4.2 | 10.6 | 1.28 | 0.147 |
| IQRC001 | 142 | 143 | 0.199 | 0.067 | 0.266 | 0.34 | 12.85 | 5.87 | 4 | 31.8 | 0.97 | 0.243 |
| IQRC001 | 143 | 144 | 1.09 | 0.054 | 1.144 | 1.17 | 65.6 | 4.2 | 5.5 | 24.8 | 7.65 | 0.158 |
| IQRC001 | 144 | 145 | 0.139 | 0.067 | 0.206 | 0.22 | 9.34 | 6.68 | 4.8 | 26.3 | 0.89 | 0.199 |
| IQRC001 | 145 | 146 | 0.06 | 0.033 | 0.093 | 0.14 | 3.71 | 4.13 | 2.6 | 8.3 | 0.68 | 0.172 |
| IQRC001 | 146 | 147 | 0.079 | 0.066 | 0.146 | 0.18 | 4.39 | 10.35 | 4.6 | 33.8 | 0.94 | 0.228 |
| IQRC001 | 147 | 148 | 0.183 | 0.049 | 0.232 | 0.43 | 10.7 | 6.71 | 5.7 | 10.2 | 1.98 | 0.207 |
| IQRC001 | 148 | 149 | 0.042 | 0.028 | 0.07 | 0.15 | 2.4 | 6.11 | 3.3 | 12.6 | 0.89 | 0.225 |
| IQRC001 | 149 | 150 | 0.05 | 0.029 | 0.079 | 0.18 | 3.12 | 6.09 | 3 | 11.7 | 1.11 | 0.207 |
| IQRC001 | 150 | 151 | 0.231 | 0.132 | 0.363 | 0.59 | 9.02 | 5.82 | 7.8 | 11.5 | 1.17 | 0.193 |
| IQRC001 | 151 | 152 | 0.116 | 0.052 | 0.168 | 0.34 | 5.97 | 5.3 | 4.2 | 9.5 | 1.27 | 0.154 |
| IQRC001 | 152 | 153 | 0.116 | 0.046 | 0.162 | 0.26 | 5.29 | 3.83 | 3.8 | 9.3 | 0.77 | 0.134 |
| IQRC001 | 153 | 154 | 0.096 | 0.039 | 0.135 | 0.31 | 4.73 | 3.53 | 3.5 | 16.3 | 0.64 | 0.16 |
| IQRC001 | 154 | 155 | 0.106 | 0.042 | 0.148 | 0.3 | 4.62 | 3.91 | 3.3 | 10.2 | 0.7 | 0.153 |
| IQRC001 | 155 | 156 | 0.113 | 0.055 | 0.168 | 0.59 | 4.86 | 9.9 | 5.2 | 10.6 | 2.37 | 0.141 |
| IQRC001 | 156 | 157 | 0.234 | 0.059 | 0.293 | 1.29 | 6.4 | 7.8 | 12.6 | 30.9 | 1.17 | 0.148 |
| IQRC001 | 157 | 158 | 0.064 | 0.025 | 0.089 | 0.18 | 2.56 | 4.78 | 4.1 | 9.9 | 0.89 | 0.129 |
| IQRC001 | 158 | 159 | 1.945 | 0.048 | 1.993 | 2.11 | 134 | 4.08 | 7.8 | 105.5 | 5.29 | 0.105 |
| IQRC001 | 159 | 160 | 0.08 | 0.018 | 0.098 | 0.2 | 4.34 | 3.98 | 2.4 | 11.2 | 0.73 | 0.138 |
| IQRC002 | 11 | 12 | 0.02 | 0.05 | 0.07 | 1.84 | 0.04 | 3.2 | 2.2 | 11.6 | 8.31 | 0.006 |
| IQRC002 | 12 | 13 | 0.05 | 0.06 | 0.11 | 2.54 | 0.04 | 3.27 | 3.9 | 32.1 | 10.4 | 0.044 |
| IQRC002 | 13 | 14 | 0.19 | 0.28 | 0.47 | 5.61 | 0.62 | 6.61 | 15.9 | 466 | 9.06 | 0.246 |
| IQRC002 | 14 | 15 | 0.89 | 0.97 | 1.85 | 18 | 2.92 | 18.95 | 91.7 | 1465 | 7.19 | 0.855 |
| IQRC002 | 15 | 16 | 0.39 | 0.79 | 1.18 | 4.43 | 1.14 | 19.85 | 54.7 | 877 | 16 | 0.743 |
| IQRC002 | 16 | 17 | 0.07 | 0.35 | 0.42 | 1.06 | 0.15 | 12.5 | 25 | 298 | 15.45 | 0.402 |
| IQRC002 | 17 | 18 | 0.07 | 0.23 | 0.30 | 0.91 | 0.14 | 10.7 | 12.1 | 259 | 16.65 | 0.180 |
| IQRC002 | 18 | 19 | 1.02 | 0.84 | 1.86 | 4.28 | 3.07 | 9.24 | 38.3 | 2180 | 25.2 | 0.217 |
| IQRC002 | 19 | 20 | 1.43 | 1.27 | 2.69 | 0.98 | 3.6 | 9.49 | 114.5 | 2460 | 40.9 | 0.875 |
| IQRC002 | 20 | 21 | 0.87 | 0.99 | 1.87 | 0.94 | 2.6 | 9.07 | 58.2 | 3990 | 39.1 | 0.573 |
| IQRC002 | 21 | 22 | 0.46 | 0.67 | 1.13 | 0.92 | 1.44 | 7.21 | 27.3 | 2440 | 24.3 | 0.304 |
| IQRC002 | 22 | 23 | 0.33 | 0.49 | 0.82 | 1.18 | 0.82 | 11.15 | 20.7 | 1085 | 17.8 | 0.272 |
| IQRC002 | 23 | 24 | 0.57 | 1.93 | 2.50 | 1.76 | 4.41 | 19.95 | 68 | 1590 | 10.2 | 1.800 |
| IQRC002 | 24 | 25 | 0.71 | 3.59 | 4.30 | 1.4 | 6.71 | 23.2 | 129 | 2420 | 13.65 | 3.500 |
| IQRC002 | 25 | 26 | 0.81 | 2.72 | 3.53 | 1.04 | 5.05 | 17.75 | 88 | 2050 | 11.85 | 2.510 |
| IQRC002 | 26 | 27 | 1.20 | 1.37 | 2.57 | 0.71 | 2.5 | 8.26 | 43.6 | 1415 | 11.4 | 1.105 |
| IQRC002 | 27 | 28 | 1.83 | 2.37 | 4.20 | 1.08 | 10.1 | 12.35 | 91.8 | 1700 | 13.4 | 2.600 |
| IQRC002 | 28 | 29 | 6.47 | 2.19 | 8.66 | 1.64 | 30.8 | 8.77 | 341 | 2050 | 10.85 | 6.170 |
| IQRC002 | 30 | 31 | 1.03 | 0.98 | 2.00 | 0.87 | 100.5 | 3.11 | 92.6 | 381 | 3.04 | 3.350 |
| IQRC002 | 31 | 32 | 1.62 | 1.78 | 3.40 | 1.2 | 117.5 | 4.57 | 144.5 | 725 | 5.11 | 5.160 |
| IQRC002 | 32 | 33 | 1.92 | 2.08 | 4.00 | 1.25 | 84.9 | 5.61 | 153 | 963 | 6.73 | 5.240 |
| IQRC002 | 33 | 34 | 1.00 | 0.96 | 1.96 | 1.04 | 112 | 2.9 | 70.7 | 534 | 3.75 | 2.520 |
| IQRC002 | 34 | 35 | 1.49 | 1.56 | 3.05 | 1.08 | 107.5 | 3.99 | 114 | 723 | 4.62 | 4.220 |
| IQRC002 | 35 | 36 | 1.60 | 1.53 | 3.12 | 0.87 | 63.4 | 6.14 | 92.2 | 1085 | 8.03 | 2.870 |
| IQRC002 | 36 | 37 | 1.39 | 1.77 | 3.16 | 1.18 | 105 | 5.27 | 125 | 914 | 7.73 | 4.380 |
| IQRC002 | 37 | 38 | 1.22 | 0.71 | 1.93 | 0.58 | 159 | 2.7 | 52.2 | 508 | 4.59 | 1.775 |
| IQRC002 | 38 | 39 | 1.18 | 0.76 | 1.93 | 0.65 | 158 | 2.9 | 55.8 | 477 | 4.98 | 1.930 |
| IQRC002 | 39 | 40 | 1.24 | 0.98 | 2.22 | 0.89 | 139.5 | 4.41 | 73.4 | 669 | 7.74 | 2.380 |
| IQRC002 | 40 | 41 | 1.38 | 1.14 | 2.52 | 0.89 | 111 | 4.65 | 78.4 | 785 | 7.23 | 2.620 |
| IQRC002 | 41 | 42 | 1.28 | 1.09 | 2.36 | 0.91 | 113 | 3.61 | 74.8 | 610 | 4.99 | 2.670 |
| IQRC002 | 42 | 43 | 0.69 | 0.17 | 0.86 | 0.62 | 109.5 | 1.6 | 10.8 | 161 | 4.1 | 0.349 |
| IQRC002 | 43 | 44 | 0.83 | 0.13 | 0.97 | 0.3 | 115 | 0.976 | 9.2 | 103.5 | 2.07 | 0.348 |
| IQRC002 | 44 | 45 | 0.89 | 0.09 | 0.98 | 0.2 | 94.2 | 0.809 | 5.8 | 102.5 | 2.01 | 0.205 |
| IQRC002 | 45 | 46 | 0.93 | 0.21 | 1.14 | 0.19 | 126 | 1.84 | 7.4 | 132 | 1.6 | 0.393 |
| IQRC002 | 46 | 47 | 0.84 | 0.33 | 1.17 | 0.27 | 98.9 | 1.82 | 8 | 134 | 1.2 | 0.606 |
| IQRC002 | 47 | 48 | 0.82 | 0.29 | 1.11 | 0.34 | 75.9 | 1.76 | 7.3 | 151.5 | 1.4 | 0.506 |
| IQRC002 | 48 | 49 | 0.74 | 0.26 | 1.00 | 0.39 | 93 | 1.71 | 7.4 | 126.5 | 1.66 | 0.471 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC002 | 49 | 50 | 0.77 | 0.41 | 1.18 | 0.55 | 57.5 | 3.1 | 17.1 | 305 | 4.38 | 0.634 |
| IQRC002 | 50 | 51 | 0.81 | 0.30 | 1.10 | 0.83 | 58.7 | 2.32 | 12.6 | 289 | 3.23 | 0.445 |
| IQRC002 | 51 | 52 | 0.93 | 0.13 | 1.06 | 0.6 | 59 | 1.275 | 8.6 | 105.5 | 1.66 | 0.372 |
| IQRC002 | 52 | 53 | 0.56 | 0.12 | 0.67 | 0.59 | 50.3 | 1.11 | 7.3 | 113 | 1.66 | 0.283 |
| IQRC002 | 53 | 54 | 0.29 | 0.03 | 0.32 | 0.38 | 26.4 | 0.474 | 2.7 | 32.1 | 0.66 | 0.182 |
| IQRC002 | 54 | 55 | 0.20 | 0.09 | 0.29 | 0.42 | 9.52 | 1.1 | 5.6 | 144.5 | 1.84 | 0.234 |
| IQRC002 | 55 | 56 | 0.16 | 0.10 | 0.26 | 0.41 | 11.9 | 1.055 | 5 | 100.5 | 1.34 | 0.226 |
| IQRC002 | 56 | 57 | 0.05 | 0.05 | 0.10 | 0.39 | 1.22 | 0.735 | 3.7 | 79.4 | 1.12 | 0.188 |
| IQRC002 | 57 | 58 | 0.10 | 0.08 | 0.17 | 0.32 | 1.15 | 0.897 | 5.3 | 97.1 | 1.52 | 0.185 |
| IQRC003 | 0 | 4 | 0.005 | 0.009 | 0.014 | 0.46 | 0.08 | 22.3 | 3.9 | 10.1 | 10.95 | 0.011 |
| IQRC003 | 4 | 8 | 0.003 | 0.01 | 0.013 | 0.62 | 0.04 | 18.2 | 3.1 | 9.4 | 7.4 | 0.005 |
| IQRC003 | 8 | 12 | 0.009 | 0.015 | 0.024 | 0.84 | 0.52 | 11.2 | 1.7 | 8.2 | 2.71 | 0.008 |
| IQRC003 | 12 | 16 | 0.007 | 0.008 | 0.014 | 0.7 | 0.07 | 7.08 | 1.2 | 12.6 | 3.22 | 0.008 |
| IQRC003 | 16 | 17 | 0.011 | 0.01 | 0.021 | 0.59 | 0.05 | 6.99 | 1 | 20 | 2.59 | 0.011 |
| IQRC003 | 17 | 18 | 0.019 | 0.013 | 0.032 | 0.32 | 0.03 | 6.05 | 4.3 | 25.6 | 1.95 | 0.07 |
| IQRC003 | 18 | 19 | 0.093 | 0.058 | 0.151 | 0.69 | 0.13 | 20.5 | 23.6 | 131.5 | 3.62 | 0.354 |
| IQRC003 | 19 | 20 | 0.047 | 0.047 | 0.094 | 0.67 | 0.18 | 9.68 | 10.7 | 109 | 1.81 | 0.29 |
| IQRC003 | 20 | 21 | 0.063 | 0.368 | 0.431 | 0.78 | 0.53 | 10.45 | 51.7 | 321 | 2.53 | 1.36 |
| IQRC003 | 21 | 22 | 0.078 | 0.296 | 0.374 | 0.66 | 0.25 | 8.72 | 31.7 | 232 | 3.29 | 0.749 |
| IQRC003 | 22 | 23 | 0.075 | 0.404 | 0.479 | 0.72 | 0.75 | 11.9 | 53.5 | 260 | 3.02 | 1.505 |
| IQRC003 | 23 | 24 | 0.072 | 0.226 | 0.298 | 1.19 | 0.75 | 18.05 | 48.4 | 162 | 3.49 | 1.255 |
| IQRC003 | 24 | 25 | 0.116 | 2.02 | 2.136 | 1.27 | 1.5 | 38.7 | 238 | 812 | 4.1 | 4.69 |
| IQRC003 | 25 | 26 | 0.056 | 1.055 | 1.111 | 0.89 | 0.17 | 12.6 | 69.5 | 255 | 2.61 | 1.73 |
| IQRC003 | 26 | 27 | 0.163 | 1.94 | 2.103 | 0.79 | 0.57 | 83.6 | 149 | 662 | 7.07 | 3.4 |
| IQRC003 | 27 | 28 | 0.132 | 0.084 | 0.216 | 0.97 | 0.06 | 63.1 | 5.1 | 99.9 | 8.05 | 0.094 |
| IQRC003 | 28 | 29 | 0.367 | 0.292 | 0.659 | 0.79 | 2.22 | 221 | 10.5 | 1840 | 14.2 | 0.12 |
| IQRC003 | 29 | 30 | 0.712 | 0.869 | 1.581 | 0.76 | 4.24 | 253 | 51.6 | 1190 | 13.3 | 0.909 |
| IQRC003 | 30 | 31 | 0.781 | 5.48 | 6.261 | 0.37 | 3.69 | 332 | 706 | 1930 | 11.45 | 11.2 |
| IQRC003 | 31 | 32 | 0.492 | 5.11 | 5.602 | 0.33 | 3.13 | 246 | 583 | 1560 | 8.92 | 9.93 |
| IQRC003 | 32 | 33 | 0.496 | 2.33 | 2.826 | 0.51 | 2.31 | 334 | 302 | 1010 | 12.5 | 4.1 |
| IQRC003 | 33 | 34 | 0.332 | 0.601 | 0.933 | 0.41 | 0.69 | 490 | 60.9 | 727 | 19.5 | 0.698 |
| IQRC003 | 34 | 35 | 0.368 | 1.44 | 1.808 | 0.46 | 1.29 | 400 | 189 | 795 | 17.45 | 2.34 |
| IQRC003 | 35 | 36 | 0.333 | 0.844 | 1.177 | 0.57 | 1 | 420 | 89.8 | 646 | 18.45 | 1.13 |
| IQRC003 | 36 | 37 | 0.255 | 0.412 | 0.667 | 0.28 | 26 | 146.5 | 33.6 | 351 | 5.46 | 0.625 |
| IQRC003 | 37 | 38 | 0.22 | 0.143 | 0.363 | 2.87 | 27.3 | 28.9 | 9.2 | 144.5 | 1.64 | 0.301 |
| IQRC003 | 38 | 39 | 0.528 | 0.242 | 0.77 | 12.05 | 53.8 | 19.6 | 11.4 | 243 | 2.15 | 0.367 |
| IQRC003 | 39 | 40 | 0.168 | 0.142 | 0.31 | 0.5 | 21.8 | 13.35 | 9 | 153.5 | 1.16 | 0.323 |
| IQRC003 | 40 | 44 | 0.061 | 0.027 | 0.087 | 0.26 | 3.15 | 5.34 | 3.3 | 51.9 | 0.73 | 0.19 |
| IQRC003 | 44 | 45 | 0.03 | 0.015 | 0.045 | 0.16 | 1.47 | 4.6 | 2.2 | 33.5 | 0.69 | 0.165 |
| IQRC003 | 45 | 46 | 0.021 | 0.013 | 0.034 | 0.37 | 0.9 | 2.88 | 2 | 27.9 | 0.54 | 0.164 |
| IQRC003 | 46 | 47 | 0.145 | 0.036 | 0.181 | 0.22 | 7.4 | 4.51 | 5 | 509 | 0.97 | 0.488 |
| IQRC003 | 47 | 48 | 0.04 | 0.027 | 0.066 | 0.17 | 2.07 | 3.76 | 2.6 | 101 | 0.69 | 0.356 |
| IQRC003 | 48 | 52 | 0.018 | 0.008 | 0.026 | 0.26 | 0.69 | 4.04 | 2.1 | 18.4 | 0.65 | 0.257 |
| IQRC003 | 52 | 56 | 0.032 | 0.008 | 0.04 | 0.19 | 1.65 | 3.34 | 2.1 | 19.4 | 0.68 | 0.17 |
| IQRC003 | 56 | 57 | 0.018 | 0.005 | 0.023 | 0.23 | 0.95 | 3.96 | 2.5 | 19.3 | 0.91 | 0.19 |
| IQRC003 | 57 | 58 | 0.011 | 0.002 | 0.013 | 0.16 | 0.52 | 3.08 | 2.5 | 9.2 | 0.98 | 0.19 |
| IQRC003 | 58 | 59 | 1.305 | 0.034 | 1.339 | 1.2 | 76 | 2.79 | 12.3 | 33.6 | 4.94 | 0.275 |
| IQRC003 | 59 | 60 | 20.8 | 0.139 | 20.939 | 15.35 | >1000 | 1.91 | 79.2 | 426 | 59.2 | 0.146 |
| IQRC003 | 60 | 61 | 4.01 | 0.107 | 4.117 | 2.69 | 214 | 5.4 | 18.4 | 196.5 | 9.94 | 0.214 |
| IQRC003 | 61 | 62 | 8.96 | 0.074 | 9.034 | 4.7 | 570 | 2.59 | 42.4 | 381 | 11.75 | 0.273 |
| IQRC003 | 62 | 63 | 0.59 | 0.017 | 0.607 | 0.46 | 34.5 | 4.96 | 7.1 | 66.8 | 5.83 | 0.441 |
| IQRC003 | 63 | 64 | 1.41 | 0.008 | 1.418 | 0.81 | 84.3 | 2.33 | 8.1 | 45 | 2.38 | 0.154 |
| IQRC003 | 64 | 65 | 0.169 | 0.005 | 0.174 | 0.24 | 8.06 | 3.98 | 4.5 | 21.5 | 1.82 | 0.344 |
| IQRC003 | 65 | 66 | 0.1 | 0.002 | 0.102 | 0.14 | 5.67 | 2.24 | 2.3 | 7.8 | 1.03 | 0.177 |
| IQRC003 | 66 | 67 | 0.163 | 0.003 | 0.166 | 0.18 | 9.39 | 3.93 | 2.7 | 10.5 | 0.84 | 0.196 |
| IQRC003 | 67 | 68 | 0.096 | 0.002 | 0.098 | 0.15 | 5.44 | 2.84 | 2 | 8 | 0.63 | 0.217 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC003 | 68 | 69 | 0.069 | 0.001 | 0.07 | 0.11 | 3.66 | 2.89 | 1.7 | 5.2 | 0.67 | 0.181 |
| IQRC003 | 69 | 70 | 0.035 | 0.001 | 0.036 | 0.11 | 1.73 | 2.61 | 1.7 | 4 | 0.53 | 0.14 |
| IQRC003 | 70 | 71 | 0.04 | 0.002 | 0.042 | 0.28 | 3.16 | 2.62 | 2 | 8.4 | 0.86 | 0.124 |
| IQRC003 | 71 | 72 | 0.041 | 0.002 | 0.043 | 0.21 | 2.67 | 2.67 | 1.8 | 8.5 | 0.79 | 0.127 |
| IQRC003 | 72 | 76 | 0.018 | 0.001 | 0.02 | 0.11 | 0.66 | 2.45 | 2.2 | 8.4 | 0.72 | 0.166 |
| IQRC003 | 76 | 80 | 0.015 | 0.002 | 0.017 | 0.12 | 0.71 | 5.3 | 2.6 | 6.7 | 1.04 | 0.146 |
| IQRC003 | 80 | 84 | 0.017 | 0.001 | 0.019 | 0.16 | 0.91 | 5.86 | 4.8 | 31.4 | 1.47 | 0.255 |
| IQRC003 | 84 | 88 | 0.01 | 0.001 | 0.011 | 0.17 | 0.33 | 6.45 | 3.7 | 5.4 | 1.5 | 0.174 |
| IQRC003 | 88 | 92 | 0.011 | 0.001 | 0.012 | 0.11 | 0.53 | 4.16 | 2.5 | 4.3 | 0.76 | 0.156 |
| IQRC003 | 92 | 93 | 0.008 | 0.001 | 0.009 | 0.1 | 0.35 | 2.86 | 2.5 | 7.2 | 0.57 | 0.188 |
| IQRC003 | 93 | 94 | 0.007 | 0.001 | 0.008 | 0.06 | 0.15 | 2.85 | 2.1 | 2.6 | 0.54 | 0.152 |
| IQRC003 | 94 | 95 | 0.007 | 0.001 | 0.007 | 0.11 | 0.13 | 4.42 | 4 | 4.9 | 0.92 | 0.253 |
| IQRC003 | 95 | 96 | 0.196 | 0.116 | 0.312 | 0.64 | 13.9 | 4.99 | 9.5 | 22.1 | 1.49 | 0.252 |
| IQRC003 | 96 | 97 | 10.35 | 3.53 | 13.88 | 18.1 | 726 | 2.28 | 50 | 192.5 | 1.4 | 0.061 |
| IQRC003 | 97 | 98 | 3.77 | 0.646 | 4.416 | 3.65 | 238 | 2.45 | 19.4 | 234 | 1.48 | 0.112 |
| IQRC003 | 98 | 99 | 2.52 | 0.744 | 3.264 | 3.41 | 170.5 | 2.65 | 17.1 | 80.8 | 0.99 | 0.131 |
| IQRC003 | 99 | 100 | 2.57 | 0.636 | 3.206 | 3.31 | 173 | 3.03 | 16.5 | 86.5 | 1.02 | 0.239 |
| IQRC003 | 100 | 101 | 0.392 | 0.123 | 0.515 | 0.77 | 25.8 | 8.4 | 8.4 | 27.9 | 2.95 | 0.48 |
| IQRC003 | 101 | 102 | 1.535 | 0.514 | 2.049 | 2.58 | 93.7 | 24.1 | 27.7 | 115.5 | 3.75 | 1.42 |
| IQRC003 | 102 | 103 | 0.148 | 0.041 | 0.189 | 0.24 | 7.34 | 5.4 | 5.4 | 11.3 | 1.06 | 0.333 |
| IQRC003 | 103 | 104 | 0.24 | 0.068 | 0.308 | 0.41 | 14.3 | 6.75 | 4.9 | 11 | 2.08 | 0.244 |
| IQRC003 | 104 | 105 | 0.039 | 0.009 | 0.048 | 0.12 | 1.79 | 8.11 | 3 | 5.1 | 1.89 | 0.142 |
| IQRC003 | 105 | 106 | 0.025 | 0.006 | 0.031 | 0.09 | 0.98 | 5.85 | 2.5 | 4 | 1.26 | 0.16 |
| IQRC003 | 106 | 107 | 0.021 | 0.005 | 0.026 | 0.07 | 1.09 | 3.1 | 2 | 3.1 | 0.47 | 0.145 |
| IQRC003 | 107 | 108 | 0.018 | 0.004 | 0.022 | 0.12 | 0.89 | 3.95 | 3 | 3.8 | 0.83 | 0.184 |
| IQRC003 | 108 | 112 | 0.019 | 0.003 | 0.021 | 0.08 | 0.53 | 5.53 | 2.4 | 4.3 | 1.08 | 0.209 |
| IQRC003 | 112 | 116 | 0.057 | 0.007 | 0.064 | 0.14 | 1.2 | 7.29 | 4.9 | 5.4 | 1.75 | 0.283 |
| IQRC003 | 116 | 120 | 0.031 | 0.003 | 0.034 | 0.12 | 0.48 | 9.01 | 5.4 | 3.5 | 2.43 | 0.423 |
| IQRC003 | 120 | 124 | 0.006 | 0.001 | 0.007 | 0.07 | 0.19 | 2.97 | 3.1 | 4.6 | 1.11 | 0.36 |
| IQRC003 | 124 | 128 | 0.035 | 0.007 | 0.043 | 0.09 | 1.13 | 4.55 | 3.2 | 7.2 | 1.33 | 0.333 |
| IQRC003 | 128 | 132 | 0.031 | 0.004 | 0.036 | 0.09 | 0.73 | 5.92 | 3.1 | 7.7 | 1.49 | 0.335 |
| IQRC003 | 132 | 136 | 0.094 | 0.021 | 0.115 | 0.19 | 4.52 | 4.14 | 2.6 | 9.9 | 0.89 | 0.212 |
| IQRC003 | 136 | 140 | 0.01 | 0.002 | 0.012 | 0.09 | 0.19 | 3.74 | 2.9 | 7.9 | 0.96 | 0.251 |
| IQRC003 | 140 | 144 | 0.035 | 0.005 | 0.04 | 0.16 | 1.13 | 5.03 | 4.6 | 8.8 | 0.96 | 0.281 |
| IQRC003 | 144 | 148 | 0.006 | 0.001 | 0.007 | 0.14 | 0.17 | 5.44 | 4.1 | 3.7 | 0.89 | 0.265 |
| IQRC003 | 148 | 152 | 0.005 | 0.001 | 0.006 | 0.08 | 0.14 | 3.42 | 2.1 | 3.1 | 0.64 | 0.196 |
| IQRC003 | 152 | 156 | 0.006 | 0.004 | 0.009 | 0.13 | 0.17 | 5.25 | 3.4 | 4 | 1.09 | 0.327 |
| IQRC003 | 156 | 160 | 0.008 | 0.004 | 0.012 | 0.25 | 0.31 | 4.7 | 2.9 | 4.5 | 1.01 | 0.292 |
| IQRC003 | 160 | 164 | 0.015 | 0.004 | 0.019 | 0.12 | 0.57 | 4.89 | 2.7 | 4.9 | 1.02 | 0.307 |
| IQRC003 | 164 | 168 | 0.018 | 0.003 | 0.021 | 0.13 | 0.44 | 4.51 | 3.1 | 4.3 | 1.05 | 0.29 |
| IQRC003 | 168 | 172 | 0.014 | 0.002 | 0.016 | 0.2 | 0.4 | 9.08 | 3.4 | 4.8 | 2.21 | 0.175 |
| IQRC003 | 172 | 176 | 0.009 | 0.002 | 0.011 | 0.14 | 0.28 | 4.56 | 2.5 | 4.5 | 0.97 | 0.174 |
| IQRC003 | 176 | 180 | 0.007 | 0.004 | 0.01 | 0.23 | 0.22 | 7.32 | 4.1 | 7 | 1.92 | 0.303 |
| IQRC003 | 180 | 184 | 0.01 | 0.004 | 0.014 | 0.25 | 0.28 | 6.18 | 4.7 | 13.3 | 1.59 | 0.287 |
| IQRC003 | 184 | 188 | 0.01 | 0.003 | 0.013 | 0.43 | 0.53 | 7.26 | 6.7 | 6.3 | 1.87 | 0.231 |
| IQRC003 | 188 | 192 | 0.009 | 0.003 | 0.011 | 0.37 | 0.88 | 10.1 | 7.5 | 7.6 | 2.79 | 0.33 |
| IQRC003 | 192 | 196 | 0.01 | 0.003 | 0.013 | 0.21 | 0.31 | 18.85 | 5.6 | 8.1 | 3.69 | 0.316 |
| IQRC003 | 196 | 200 | 0.009 | 0.004 | 0.013 | 0.26 | 0.24 | 19.25 | 7.1 | 7.4 | 4.02 | 0.347 |
| IQRC003 | 200 | 204 | 0.005 | 0.003 | 0.007 | 0.19 | 0.12 | 17.55 | 9.2 | 22.2 | 4.59 | 0.367 |
| IQRC003 | 204 | 208 | 0.006 | 0.002 | 0.008 | 0.18 | 0.16 | 60.2 | 12.1 | 65.7 | 16.7 | 0.202 |
| IQRC003 | 208 | 212 | 0.003 | 0.001 | 0.004 | 0.04 | 0.09 | 65.3 | 4.7 | 18.1 | 18.1 | 0.166 |
| IQRC003 | 212 | 216 | 0.004 | 0.001 | 0.005 | 0.08 | 0.1 | 75.6 | 5.7 | 171.5 | 18.3 | 0.236 |
| IQRC004 | 0 | 4 | 0.005 | 0.002 | 0.006 | 0.09 | 0.06 | 2.58 | 3.9 | 26.4 | 6.77 | 0.0312 |
| IQRC004 | 4 | 8 | 0.005 | 0.005 | 0.010 | 0.2 | 0.03 | 3.86 | 5.6 | 15.9 | 20 | 0.0136 |
| IQRC004 | 8 | 12 | 0.007 | 0.008 | 0.014 | 0.76 | 0.02 | 3.22 | 3.7 | 10.4 | 11.25 | 0.0075 |
| IQRC004 | 12 | 16 | 0.008 | 0.025 | 0.032 | 0.79 | 0.03 | 3.11 | 2.1 | 16.6 | 5.73 | 0.028 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|----|--------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC004 | 16 | 17 | 0.011 | 0.076 | 0.087 | 0.68 | 0.06 | 8.99 | 4.2 | 49.3 | 9.25 | 0.0706 |
| IQRC004 | 17 | 18 | 0.050 | 0.109 | 0.159 | 0.54 | 0.36 | 13.6 | 18.8 | 681 | 10.4 | 0.271 |
| IQRC004 | 18 | 19 | 0.323 | 0.294 | 0.617 | 0.67 | 1.55 | 8.15 | 63.6 | 2720 | 9.58 | 0.884 |
| IQRC004 | 19 | 20 | 0.204 | 0.337 | 0.541 | 0.57 | 1.19 | 7.14 | 39.5 | 1485 | 11.2 | 0.7 |
| IQRC004 | 20 | 21 | 0.115 | 0.369 | 0.484 | 0.45 | 0.81 | 8.76 | 65.3 | 439 | 10.9 | 1.12 |
| IQRC004 | 21 | 22 | 0.524 | 1.135 | 1.659 | 0.36 | 3.55 | 6.91 | 61 | 1240 | 4.76 | 1.58 |
| IQRC004 | 22 | 23 | 0.612 | 0.738 | 1.350 | 0.78 | 2.63 | 5.44 | 20.6 | 1470 | 4.84 | 0.518 |
| IQRC004 | 23 | 24 | 0.295 | 0.280 | 0.575 | 0.74 | 1.15 | 2.85 | 9.4 | 559 | 2.04 | 0.218 |
| IQRC004 | 24 | 25 | 0.441 | 0.360 | 0.801 | 0.58 | 2.08 | 2.74 | 14.9 | 629 | 3.54 | 0.316 |
| IQRC004 | 25 | 26 | 0.298 | 0.556 | 0.854 | 0.93 | 3.69 | 2.88 | 18.8 | 435 | 3.7 | 0.813 |
| IQRC004 | 26 | 27 | 0.836 | 2.170 | 3.006 | 0.48 | 13.1 | 5.15 | 51.4 | 1250 | 4.02 | 3.29 |
| IQRC004 | 27 | 28 | 0.628 | 0.780 | 1.408 | 0.54 | 5.15 | 3.5 | 29.7 | 853 | 3.77 | 1.2 |
| IQRC004 | 28 | 29 | 0.422 | 0.659 | 1.081 | 0.81 | 13.8 | 9.29 | 40.4 | 659 | 5.29 | 1.37 |
| IQRC004 | 29 | 30 | 0.604 | 0.819 | 1.423 | 0.77 | 26.9 | 10.85 | 72.7 | 826 | 6.28 | 2.07 |
| IQRC004 | 30 | 31 | 0.525 | 0.717 | 1.242 | 0.72 | 16.25 | 10.1 | 50.7 | 731 | 6.83 | 1.545 |
| IQRC004 | 31 | 32 | 1.325 | 1.360 | 2.685 | 0.74 | 19.2 | 10.45 | 247 | 938 | 6.75 | 4.98 |
| IQRC004 | 32 | 33 | 0.681 | 0.509 | 1.190 | 0.84 | 10.55 | 7 | 106.5 | 526 | 5.68 | 2.29 |
| IQRC004 | 33 | 34 | 0.695 | 0.466 | 1.161 | 1.34 | 10.2 | 7.56 | 98.9 | 448 | 6.65 | 2.51 |
| IQRC004 | 34 | 35 | 0.489 | 0.201 | 0.690 | 1.74 | 3.77 | 5.38 | 54.6 | 274 | 6.27 | 1.455 |
| IQRC004 | 35 | 36 | 1.090 | 0.332 | 1.422 | 1.72 | 24 | 6.19 | 106 | 437 | 8.43 | 3.32 |
| IQRC004 | 36 | 37 | 0.744 | 0.208 | 0.952 | 0.35 | 272 | 5.25 | 38.3 | 232 | 3.74 | 1.065 |
| IQRC004 | 37 | 38 | 0.731 | 0.193 | 0.924 | 0.33 | 282 | 4.91 | 36.1 | 221 | 3.58 | 0.988 |
| IQRC004 | 38 | 39 | 0.693 | 0.229 | 0.922 | 0.32 | 265 | 4.85 | 39.5 | 224 | 3.12 | 1.085 |
| IQRC004 | 39 | 40 | 0.698 | 0.250 | 0.948 | 0.32 | 229 | 4.45 | 41.6 | 234 | 3.13 | 1.075 |
| IQRC004 | 40 | 41 | 0.696 | 0.140 | 0.836 | 0.27 | 201 | 3.95 | 27.6 | 173 | 4.2 | 0.612 |
| IQRC004 | 41 | 42 | 0.610 | 0.115 | 0.725 | 0.32 | 175 | 3.36 | 21 | 140 | 3.76 | 0.513 |
| IQRC004 | 42 | 43 | 0.460 | 0.037 | 0.497 | 0.45 | 119 | 1.795 | 8.6 | 61.9 | 2.48 | 0.211 |
| IQRC004 | 43 | 44 | 0.457 | 0.049 | 0.506 | 0.42 | 117 | 1.91 | 10.6 | 75.2 | 2.44 | 0.256 |
| IQRC004 | 44 | 45 | 0.496 | 0.091 | 0.587 | 0.37 | 86 | 2.94 | 12.2 | 95.8 | 1.64 | 0.813 |
| IQRC004 | 45 | 46 | 0.462 | 0.131 | 0.593 | 0.45 | 92 | 3.29 | 18.2 | 102 | 2.47 | 0.669 |
| IQRC004 | 46 | 47 | 0.436 | 0.093 | 0.529 | 0.42 | 91 | 2.48 | 15 | 113 | 2.25 | 1.13 |
| IQRC004 | 47 | 48 | 0.516 | 0.155 | 0.671 | 0.5 | 56.2 | 3.3 | 33.3 | 213 | 3.17 | 2.53 |
| IQRC004 | 48 | 49 | 1.085 | 0.234 | 1.319 | 0.55 | 78.9 | 2.98 | 68.3 | 252 | 3.84 | 2.62 |
| IQRC004 | 49 | 50 | 0.617 | 0.193 | 0.810 | 0.43 | 38.6 | 2.5 | 37.8 | 164 | 3.34 | 1.32 |
| IQRC004 | 50 | 51 | 0.490 | 0.095 | 0.585 | 0.25 | 58.1 | 2 | 15.6 | 107.5 | 2.54 | 0.936 |
| IQRC004 | 51 | 52 | 0.389 | 0.074 | 0.463 | 0.17 | 20.4 | 1.115 | 11.4 | 79.2 | 1.4 | 0.722 |
| IQRC004 | 52 | 56 | 0.476 | 0.321 | 0.797 | 0.19 | 27.1 | 2.49 | 16.8 | 120.5 | 3.01 | 0.927 |
| IQRC004 | 56 | 60 | 0.340 | 0.063 | 0.403 | 0.1 | 19.25 | 0.98 | 4.9 | 65.7 | 1.56 | 0.265 |
| IQRC004 | 60 | 64 | 0.043 | 0.006 | 0.049 | 0.19 | 1.34 | 0.432 | 3.6 | 15 | 1.54 | 0.267 |
| IQRC004 | 64 | 65 | 0.050 | 0.007 | 0.057 | 0.55 | 2.19 | 0.442 | 2.3 | 13.2 | 1.56 | 0.242 |
| IQRC004 | 65 | 66 | 2.620 | 0.016 | 2.636 | 2.33 | 108 | 0.31 | 8.9 | 51.7 | 2.88 | 0.204 |
| IQRC004 | 66 | 67 | 18.950 | 0.015 | 18.965 | 9.6 | 698 | 0.297 | 46.8 | 271 | 10.6 | 0.18 |
| IQRC004 | 67 | 68 | 1.225 | 0.003 | 1.228 | 0.88 | 47.8 | 0.231 | 6.1 | 24.4 | 1.67 | 0.1705 |
| IQRC004 | 68 | 69 | 0.581 | 0.003 | 0.584 | 0.44 | 23.7 | 0.284 | 3.5 | 17.2 | 1.06 | 0.1505 |
| IQRC004 | 69 | 70 | 0.348 | 0.003 | 0.351 | 0.28 | 14.15 | 0.311 | 3 | 18.2 | 0.94 | 0.1905 |
| IQRC004 | 70 | 71 | 0.430 | 0.008 | 0.438 | 0.31 | 17.3 | 0.384 | 3.9 | 37.2 | 1.39 | 0.1865 |
| IQRC004 | 71 | 72 | 0.328 | 0.003 | 0.331 | 0.27 | 13.35 | 0.272 | 3.3 | 12.3 | 0.89 | 0.158 |
| IQRC004 | 72 | 73 | 1.635 | 0.006 | 1.641 | 1.26 | 84.7 | 0.267 | 8.8 | 27.2 | 1.51 | 0.1925 |
| IQRC004 | 73 | 74 | 0.473 | 0.009 | 0.482 | 0.53 | 23.8 | 0.285 | 8.6 | 21.8 | 2.27 | 0.325 |
| IQRC004 | 74 | 75 | 0.070 | 0.006 | 0.075 | 0.14 | 3.41 | 0.277 | 3.5 | 7.9 | 1.68 | 0.208 |
| IQRC004 | 75 | 76 | 0.072 | 0.007 | 0.079 | 0.12 | 3.76 | 0.292 | 2.4 | 14.9 | 0.66 | 0.189 |
| IQRC004 | 76 | 77 | 0.047 | 0.002 | 0.049 | 0.13 | 2.48 | 0.24 | 1.8 | 4.5 | 0.53 | 0.146 |
| IQRC004 | 77 | 78 | 0.036 | 0.002 | 0.038 | 0.1 | 1.9 | 0.227 | 1.9 | 5.2 | 0.56 | 0.15 |
| IQRC004 | 78 | 79 | 3.930 | 0.030 | 3.960 | 4 | 206 | 0.557 | 29.1 | 104 | 2.76 | 0.212 |
| IQRC004 | 79 | 80 | 0.099 | 0.004 | 0.104 | 0.21 | 3.89 | 0.26 | 4.5 | 52.1 | 0.73 | 0.24 |
| IQRC004 | 80 | 81 | 0.188 | 0.003 | 0.191 | 0.21 | 10.4 | 0.296 | 2.7 | 17.7 | 1.57 | 0.287 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC004 | 81 | 82 | 0.156 | 0.007 | 0.163 | 0.24 | 6.27 | 0.286 | 7.3 | 32.3 | 0.96 | 0.228 |
| IQRC004 | 82 | 83 | 0.098 | 0.009 | 0.107 | 0.2 | 3.76 | 0.29 | 4 | 13.8 | 0.91 | 0.259 |
| IQRC004 | 83 | 84 | 0.028 | 0.002 | 0.030 | 0.08 | 1.15 | 0.337 | 2 | 4.3 | 0.82 | 0.191 |
| IQRC004 | 84 | 88 | 0.015 | 0.001 | 0.016 | 0.06 | 0.55 | 0.294 | 1.9 | 3.5 | 0.79 | 0.214 |
| IQRC004 | 88 | 92 | 0.025 | 0.001 | 0.026 | 0.08 | 1.59 | 0.321 | 2.8 | 5.4 | 0.95 | 0.206 |
| IQRC004 | 92 | 96 | 0.018 | 0.001 | 0.019 | 0.05 | 0.95 | 0.35 | 2.6 | 4.8 | 0.96 | 0.237 |
| IQRC004 | 96 | 100 | 0.007 | 0.001 | 0.008 | 0.07 | 0.27 | 0.346 | 1.7 | 5.9 | 0.64 | 0.202 |
| IQRC004 | 100 | 104 | 0.012 | 0.001 | 0.013 | 0.05 | 0.3 | 0.316 | 1.8 | 4.8 | 0.57 | 0.173 |
| IQRC004 | 104 | 108 | 0.060 | 0.010 | 0.070 | 0.24 | 2.68 | 0.442 | 3.3 | 9.6 | 1.6 | 0.318 |
| IQRC004 | 108 | 112 | 0.021 | 0.002 | 0.023 | 0.07 | 0.69 | 0.482 | 3.7 | 4.3 | 1.11 | 0.221 |
| IQRC004 | 112 | 113 | 0.008 | 0.001 | 0.009 | 0.06 | 0.18 | 0.374 | 4.4 | 5.6 | 0.88 | 0.279 |
| IQRC004 | 113 | 114 | 0.039 | 0.006 | 0.045 | 0.11 | 1.59 | 0.608 | 8.5 | 10.9 | 1.45 | 0.466 |
| IQRC004 | 114 | 115 | 0.186 | 0.013 | 0.199 | 0.18 | 5.95 | 0.831 | 10 | 21.7 | 2.09 | 0.462 |
| IQRC004 | 115 | 116 | 0.276 | 0.023 | 0.299 | 0.37 | 9.09 | 1.07 | 15.7 | 32.3 | 2.3 | 0.772 |
| IQRC004 | 116 | 117 | 0.210 | 0.022 | 0.232 | 0.41 | 6.7 | 1.305 | 12.9 | 46.9 | 2.82 | 0.537 |
| IQRC004 | 117 | 118 | 0.112 | 0.011 | 0.123 | 0.21 | 3.18 | 0.852 | 12.3 | 51 | 1.99 | 0.813 |
| IQRC004 | 118 | 119 | 0.110 | 0.010 | 0.120 | 0.22 | 3.74 | 0.962 | 11.3 | 67.8 | 2.21 | 0.665 |
| IQRC004 | 119 | 120 | 0.165 | 0.009 | 0.174 | 0.24 | 7.3 | 1.075 | 10.2 | 43.4 | 2.27 | 0.438 |
| IQRC004 | 120 | 121 | 0.452 | 0.046 | 0.498 | 0.23 | 18.65 | 1.325 | 12.1 | 52.3 | 3.93 | 0.287 |
| IQRC004 | 121 | 122 | 0.344 | 0.035 | 0.379 | 0.31 | 14.05 | 1.06 | 14.4 | 83.7 | 3.15 | 0.491 |
| IQRC004 | 122 | 123 | 0.249 | 0.028 | 0.277 | 0.26 | 10.55 | 1.175 | 12.3 | 65.9 | 4.29 | 0.503 |
| IQRC004 | 123 | 124 | 0.153 | 0.016 | 0.169 | 0.2 | 6.18 | 0.897 | 9.2 | 37.7 | 2.82 | 0.409 |
| IQRC004 | 124 | 125 | 0.254 | 0.014 | 0.268 | 0.08 | 6.06 | 0.37 | 7.6 | 11.7 | 0.84 | 0.162 |
| IQRC004 | 125 | 126 | 0.359 | 0.026 | 0.385 | 0.2 | 11.55 | 0.658 | 13.1 | 32.5 | 1.89 | 0.258 |
| IQRC004 | 126 | 127 | 0.472 | 0.093 | 0.565 | 0.61 | 21.3 | 1.94 | 17.7 | 78 | 3.64 | 0.413 |
| IQRC004 | 127 | 128 | 0.442 | 0.097 | 0.539 | 0.73 | 17.8 | 2 | 14.8 | 90.3 | 4.17 | 0.252 |
| IQRC004 | 128 | 129 | 0.348 | 0.060 | 0.408 | 0.5 | 13.15 | 1.52 | 12.6 | 62.4 | 3.36 | 0.252 |
| IQRC004 | 129 | 130 | 0.331 | 0.055 | 0.386 | 0.5 | 13.5 | 1.81 | 13.2 | 63 | 3.2 | 0.258 |
| IQRC004 | 130 | 131 | 0.121 | 0.017 | 0.138 | 0.23 | 4.75 | 0.903 | 6.7 | 27 | 1.85 | 0.162 |
| IQRC004 | 131 | 132 | 0.154 | 0.020 | 0.174 | 0.25 | 5.57 | 0.927 | 7.1 | 28.9 | 1.77 | 0.171 |
| IQRC004 | 132 | 133 | 0.271 | 0.037 | 0.308 | 0.44 | 11.2 | 1.395 | 10.1 | 57.9 | 2.47 | 0.18 |
| IQRC004 | 133 | 134 | 0.036 | 0.004 | 0.041 | 0.13 | 1.14 | 0.763 | 4.2 | 7.7 | 1.21 | 0.185 |
| IQRC004 | 134 | 135 | 0.038 | 0.004 | 0.042 | 0.08 | 1.05 | 0.506 | 3 | 10.1 | 1.06 | 0.188 |
| IQRC004 | 135 | 136 | 0.184 | 0.010 | 0.194 | 0.15 | 5.1 | 0.534 | 3.7 | 31.7 | 1.23 | 0.247 |
| IQRC004 | 136 | 137 | 0.180 | 0.014 | 0.194 | 0.21 | 6.46 | 0.551 | 4.4 | 28.1 | 1.3 | 0.206 |
| IQRC004 | 137 | 138 | 0.199 | 0.019 | 0.218 | 0.29 | 7.47 | 0.857 | 5.7 | 41.5 | 2.1 | 0.254 |
| IQRC004 | 138 | 139 | 0.182 | 0.026 | 0.208 | 0.31 | 8.14 | 1.055 | 7.4 | 37.2 | 1.79 | 0.231 |
| IQRC004 | 139 | 140 | 0.197 | 0.028 | 0.225 | 0.28 | 10.3 | 1.6 | 9.7 | 42 | 3.7 | 0.235 |
| IQRC004 | 140 | 141 | 0.219 | 0.028 | 0.247 | 0.39 | 10.25 | 1.335 | 9.8 | 43 | 2.66 | 0.26 |
| IQRC004 | 141 | 142 | 0.332 | 0.042 | 0.374 | 0.66 | 15.85 | 2.49 | 13.8 | 53.5 | 4.12 | 0.358 |
| IQRC004 | 142 | 143 | 0.294 | 0.033 | 0.327 | 0.58 | 12.95 | 2.04 | 12.1 | 48.7 | 3.96 | 0.285 |
| IQRC004 | 143 | 144 | 0.220 | 0.018 | 0.238 | 0.39 | 7.67 | 1.45 | 11.1 | 32.2 | 3.31 | 0.211 |
| IQRC004 | 144 | 145 | 0.225 | 0.014 | 0.239 | 0.29 | 6.2 | 0.929 | 11.7 | 22.6 | 2 | 0.189 |
| IQRC004 | 145 | 146 | 2.980 | 0.005 | 2.985 | 1.12 | 124 | 0.52 | 62.9 | 145 | 7.78 | 0.166 |
| IQRC004 | 146 | 147 | 1.180 | 0.009 | 1.189 | 0.53 | 43.5 | 0.563 | 29.5 | 48.5 | 2.7 | 0.168 |
| IQRC004 | 147 | 148 | 0.671 | 0.016 | 0.687 | 0.33 | 26.1 | 1.155 | 34.5 | 39.5 | 2.33 | 0.79 |
| IQRC004 | 148 | 149 | 0.727 | 0.023 | 0.750 | 0.43 | 40 | 1.965 | 23.4 | 48.3 | 4.67 | 1.15 |
| IQRC004 | 149 | 150 | 0.547 | 0.010 | 0.557 | 0.56 | 25.9 | 1.17 | 14.7 | 26.8 | 3.36 | 0.448 |
| IQRC004 | 150 | 151 | 0.500 | 0.010 | 0.510 | 0.44 | 23.4 | 0.762 | 14.7 | 32.3 | 2.28 | 0.295 |
| IQRC004 | 151 | 152 | 0.658 | 0.003 | 0.661 | 0.56 | 35.7 | 0.418 | 48.1 | 51.8 | 2.59 | 0.223 |
| IQRC004 | 152 | 153 | 0.317 | 0.004 | 0.321 | 0.29 | 15.2 | 0.56 | 29.7 | 41.2 | 2.41 | 0.201 |
| IQRC004 | 153 | 154 | 0.299 | 0.002 | 0.301 | 0.22 | 12.5 | 0.657 | 12.6 | 23.9 | 3.02 | 0.294 |
| IQRC004 | 154 | 155 | 0.174 | 0.002 | 0.176 | 0.23 | 8.08 | 0.965 | 10.1 | 15.2 | 3.46 | 0.321 |
| IQRC004 | 155 | 156 | 0.184 | 0.003 | 0.187 | 0.21 | 8.18 | 0.77 | 9.1 | 13.1 | 2.42 | 0.3 |
| IQRC004 | 156 | 157 | 0.177 | 0.003 | 0.180 | 0.23 | 8 | 1.03 | 8.7 | 14.4 | 2.64 | 0.279 |
| IQRC004 | 157 | 158 | 0.137 | 0.002 | 0.139 | 0.27 | 5.99 | 1.55 | 9.6 | 11.4 | 3.94 | 0.285 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC004 | 158 | 159 | 0.097 | 0.002 | 0.099 | 0.17 | 4.47 | 0.863 | 4.5 | 8 | 1.93 | 0.304 |
| IQRC004 | 159 | 160 | 0.073 | 0.002 | 0.075 | 0.13 | 3.48 | 0.676 | 4.3 | 19.7 | 1.44 | 0.311 |
| IQRC004 | 160 | 164 | 0.049 | 0.001 | 0.050 | 0.12 | 2.01 | 0.451 | 3.1 | 7 | 1.14 | 0.219 |
| IQRC004 | 164 | 168 | 0.028 | 0.001 | 0.029 | 0.1 | 1.21 | 0.551 | 4.7 | 6.7 | 1.57 | 0.224 |
| IQRC004 | 168 | 170 | 0.040 | 0.004 | 0.044 | 0.12 | 1.38 | 0.365 | 3.6 | 7.9 | 0.82 | 0.242 |
| IQRC005 | 0 | 4 | 0.003 | 0.002 | 0.005 | 0.07 | 0.1 | 41.2 | 6.2 | 14.5 | 11.6 | 0.0229 |
| IQRC005 | 4 | 8 | 0.003 | 0.001 | 0.003 | 0.06 | 0.04 | 10.7 | 2.1 | 6.5 | 5.32 | 0.007 |
| IQRC005 | 8 | 12 | 0.003 | 0.002 | 0.006 | 0.12 | 0.07 | 34 | 8 | 6 | 3.79 | 0.0155 |
| IQRC005 | 12 | 16 | 0.012 | 0.006 | 0.018 | 0.42 | 0.27 | 7.15 | 3.3 | 4 | 1.44 | 0.0143 |
| IQRC005 | 16 | 20 | 0.014 | 0.005 | 0.019 | 0.45 | 0.04 | 5.9 | 2.5 | 4.6 | 1.56 | 0.0088 |
| IQRC005 | 20 | 24 | 0.023 | 0.007 | 0.029 | 0.4 | 0.23 | 6.5 | 3.3 | 5.7 | 3.44 | 0.013 |
| IQRC005 | 24 | 28 | 0.038 | 0.008 | 0.047 | 0.28 | 0.06 | 10.2 | 4 | 8.8 | 18.55 | 0.0106 |
| IQRC005 | 28 | 32 | 0.030 | 0.011 | 0.041 | 0.23 | 0.09 | 25.1 | 3.1 | 8.8 | 27.6 | 0.0247 |
| IQRC005 | 32 | 36 | 0.009 | 0.028 | 0.037 | 0.86 | 0.1 | 38.7 | 4.3 | 9.1 | 10.35 | 0.155 |
| IQRC005 | 36 | 40 | 0.015 | 0.074 | 0.089 | 2.88 | 0.19 | 139 | 4.1 | 14.1 | 13.95 | 0.207 |
| IQRC005 | 40 | 44 | 0.007 | 0.022 | 0.029 | 5.15 | 0.12 | 43.8 | 1 | 9.5 | 13.3 | 0.0111 |
| IQRC005 | 44 | 48 | 0.011 | 0.021 | 0.033 | 5.15 | 0.23 | 31.2 | 1.4 | 11.4 | 11.5 | 0.0164 |
| IQRC005 | 48 | 52 | 0.019 | 0.046 | 0.065 | 6.76 | 0.29 | 34.1 | 3.6 | 69.5 | 11.85 | 0.0242 |
| IQRC005 | 52 | 53 | 0.077 | 0.170 | 0.247 | 9.58 | 4.6 | 22.5 | 11.9 | 119 | 11.3 | 0.0038 |
| IQRC005 | 53 | 54 | 0.069 | 0.128 | 0.197 | 5.33 | 4.29 | 20.5 | 5.5 | 114 | 8.61 | 0.0064 |
| IQRC005 | 54 | 55 | 0.065 | 0.165 | 0.230 | 4.35 | 4.06 | 33.5 | 7.8 | 124.5 | 11.35 | 0.0349 |
| IQRC005 | 55 | 56 | 0.121 | 0.467 | 0.588 | 8.92 | 7.38 | 26.3 | 21.7 | 377 | 9.11 | 0.0114 |
| IQRC005 | 56 | 57 | 0.162 | 0.930 | 1.092 | 7.05 | 8.25 | 13.65 | 9.9 | 298 | 6.66 | 0.0077 |
| IQRC005 | 57 | 58 | 0.135 | 0.884 | 1.019 | 7.24 | 7.33 | 18.35 | 15.7 | 262 | 5.35 | 0.0101 |
| IQRC005 | 58 | 59 | 1.135 | 1.600 | 2.735 | 7.46 | 107.5 | 158.5 | 31.3 | 394 | 6.76 | 0.0047 |
| IQRC005 | 59 | 60 | 1.525 | 1.475 | 3.000 | 11 | 273 | 68.6 | 51.2 | 219 | 6.7 | 0.0086 |
| IQRC005 | 60 | 61 | 1.910 | 1.095 | 3.005 | 10.15 | 390 | 71.3 | 22.8 | 239 | 5.1 | 0.0453 |
| IQRC005 | 61 | 62 | 0.916 | 0.365 | 1.281 | 3.13 | 181.5 | 18.2 | 5 | 79.6 | 1.61 | 0.1445 |
| IQRC005 | 62 | 63 | 0.840 | 0.342 | 1.182 | 2.64 | 131.5 | 21 | 6.7 | 66.9 | 2.06 | 0.262 |
| IQRC005 | 63 | 64 | 0.722 | 0.460 | 1.182 | 4.13 | 117 | 21.9 | 7.6 | 103.5 | 2.49 | 0.202 |
| IQRC005 | 64 | 65 | 0.274 | 0.123 | 0.397 | 1.2 | 27.8 | 11 | 10.4 | 40.4 | 1.34 | 0.497 |
| IQRC005 | 65 | 66 | 0.314 | 0.093 | 0.407 | 0.75 | 21.7 | 8.82 | 4.3 | 24.2 | 0.8 | 0.242 |
| IQRC005 | 66 | 67 | 0.201 | 0.062 | 0.263 | 1.06 | 15.85 | 8.59 | 5.6 | 22.9 | 0.85 | 0.253 |
| IQRC005 | 67 | 68 | 0.182 | 0.069 | 0.251 | 0.76 | 14.65 | 7.66 | 4 | 15.8 | 0.69 | 0.242 |
| IQRC005 | 68 | 69 | 0.249 | 0.078 | 0.327 | 0.51 | 20.7 | 9.43 | 4.3 | 11.9 | 0.56 | 0.254 |
| IQRC005 | 69 | 70 | 0.354 | 0.118 | 0.472 | 0.71 | 28.9 | 25 | 5.1 | 21.8 | 1.27 | 0.256 |
| IQRC005 | 70 | 71 | 0.271 | 0.100 | 0.371 | 0.95 | 27.4 | 11.9 | 3.5 | 33.3 | 0.78 | 0.18 |
| IQRC005 | 71 | 72 | 0.651 | 0.136 | 0.787 | 1.09 | 38.6 | 26.9 | 7.8 | 24.9 | 3.81 | 0.392 |
| IQRC005 | 72 | 73 | 0.140 | 0.160 | 0.300 | 0.51 | 20.6 | 8.59 | 1.6 | 13.8 | 1.42 | 0.118 |
| IQRC005 | 73 | 74 | 0.295 | 0.126 | 0.421 | 0.73 | 61.9 | 7.96 | 4 | 26.2 | 0.77 | 0.221 |
| IQRC005 | 74 | 75 | 0.492 | 0.284 | 0.776 | 1.54 | 85.7 | 41.8 | 8 | 69.7 | 3.79 | 0.407 |
| IQRC005 | 75 | 76 | 0.541 | 0.166 | 0.707 | 1 | 65.8 | 22.4 | 12 | 64.3 | 2.59 | 0.641 |
| IQRC005 | 76 | 77 | 0.576 | 0.204 | 0.780 | 1.48 | 61.8 | 36 | 10.4 | 67.6 | 4.62 | 0.523 |
| IQRC005 | 77 | 78 | 0.494 | 0.178 | 0.672 | 1.1 | 44.1 | 16.3 | 8.4 | 35.9 | 2.11 | 0.689 |
| IQRC005 | 78 | 79 | 0.393 | 0.110 | 0.503 | 0.78 | 38.1 | 8.38 | 5 | 33.6 | 1.83 | 0.404 |
| IQRC005 | 79 | 80 | 0.353 | 0.123 | 0.476 | 0.75 | 42.5 | 10.15 | 5.1 | 32.7 | 1.6 | 0.379 |
| IQRC005 | 80 | 81 | 0.500 | 0.163 | 0.663 | 0.69 | 47.2 | 9.09 | 8.8 | 39 | 1.64 | 0.775 |
| IQRC005 | 81 | 82 | 0.534 | 0.159 | 0.693 | 0.55 | 44.9 | 11.75 | 10.5 | 26.2 | 1.74 | 0.904 |
| IQRC005 | 82 | 83 | 0.228 | 0.046 | 0.274 | 0.58 | 26.5 | 6.17 | 6.6 | 20 | 1.03 | 0.373 |
| IQRC005 | 83 | 84 | 0.356 | 0.088 | 0.444 | 1.37 | 41.8 | 12.15 | 9.8 | 34.5 | 1.78 | 0.632 |
| IQRC005 | 84 | 85 | 0.338 | 0.101 | 0.439 | 1.02 | 44.5 | 15.5 | 7.7 | 73 | 2.46 | 0.565 |
| IQRC005 | 85 | 86 | 0.778 | 0.275 | 1.053 | 1.09 | 70.3 | 24.1 | 21.1 | 70.9 | 3.1 | 1.75 |
| IQRC005 | 86 | 87 | 0.625 | 0.181 | 0.806 | 1.15 | 58 | 27.4 | 14.7 | 36.9 | 3.1 | 1.01 |
| IQRC005 | 87 | 88 | 0.427 | 0.124 | 0.551 | 0.8 | 31.1 | 18.5 | 9.9 | 28.8 | 2.49 | 0.729 |
| IQRC005 | 88 | 89 | 0.410 | 0.105 | 0.515 | 1.11 | 29.3 | 17 | 8.3 | 25.5 | 2.78 | 0.561 |
| IQRC005 | 89 | 90 | 0.429 | 0.094 | 0.523 | 1.03 | 25.6 | 17.3 | 9.9 | 24.3 | 2.63 | 0.563 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC005 | 90 | 91 | 0.478 | 0.088 | 0.566 | 0.98 | 25.7 | 14.05 | 12 | 27.6 | 2.32 | 0.506 |
| IQRC005 | 91 | 92 | 0.551 | 0.100 | 0.651 | 1.36 | 30.7 | 14.85 | 17 | 35.7 | 2.99 | 0.597 |
| IQRC005 | 92 | 93 | 0.458 | 0.072 | 0.530 | 0.77 | 26.6 | 15.15 | 13.6 | 29.6 | 2.46 | 0.758 |
| IQRC005 | 93 | 94 | 0.536 | 0.154 | 0.690 | 0.67 | 65.2 | 21 | 15.8 | 40.3 | 3.06 | 1.25 |
| IQRC005 | 94 | 95 | 0.196 | 0.042 | 0.238 | 0.39 | 19.4 | 10.5 | 7.5 | 22.7 | 1.9 | 0.622 |
| IQRC005 | 95 | 96 | 0.546 | 0.192 | 0.738 | 1.34 | 57.8 | 22.8 | 13 | 62.8 | 3.53 | 1.04 |
| IQRC005 | 96 | 97 | 0.659 | 0.273 | 0.932 | 1.17 | 92.5 | 20.6 | 17.5 | 42.1 | 3.6 | 1.625 |
| IQRC005 | 97 | 98 | 0.693 | 0.210 | 0.903 | 1.26 | 75.1 | 18.8 | 19.7 | 34.1 | 2.75 | 1.74 |
| IQRC005 | 98 | 99 | 0.641 | 0.142 | 0.783 | 0.67 | 50.2 | 16.5 | 19.3 | 18.9 | 1.74 | 1.925 |
| IQRC005 | 99 | 100 | 0.304 | 0.059 | 0.363 | 0.69 | 29 | 11.75 | 7.1 | 22 | 1.91 | 0.671 |
| IQRC005 | 100 | 101 | 0.278 | 0.054 | 0.332 | 0.65 | 23.2 | 12.9 | 9.5 | 32.8 | 2.04 | 0.754 |
| IQRC005 | 101 | 102 | 0.225 | 0.033 | 0.258 | 0.52 | 13.7 | 10.5 | 14.5 | 38.3 | 1.89 | 0.931 |
| IQRC005 | 102 | 103 | 0.107 | 0.012 | 0.119 | 0.32 | 5.26 | 9.08 | 6.8 | 15.6 | 1.93 | 0.539 |
| IQRC005 | 103 | 104 | 0.226 | 0.014 | 0.240 | 0.39 | 5.12 | 14.2 | 7.5 | 23.8 | 2.05 | 0.675 |
| IQRC005 | 104 | 105 | 0.257 | 0.033 | 0.290 | 0.44 | 10.9 | 12.7 | 9.9 | 30.7 | 2.15 | 0.776 |
| IQRC005 | 105 | 106 | 0.549 | 0.073 | 0.622 | 0.62 | 24.4 | 20.8 | 16.4 | 140 | 3.63 | 1.335 |
| IQRC005 | 106 | 107 | 0.494 | 0.065 | 0.559 | 0.59 | 21.1 | 19.65 | 13.3 | 132 | 3.53 | 1.055 |
| IQRC005 | 107 | 108 | 0.334 | 0.041 | 0.375 | 0.48 | 13.75 | 12.05 | 8 | 81.1 | 2.64 | 0.686 |
| IQRC005 | 108 | 109 | 0.139 | 0.026 | 0.165 | 0.32 | 8.48 | 9.09 | 5.5 | 54.8 | 2.45 | 0.45 |
| IQRC005 | 109 | 110 | 0.159 | 0.035 | 0.194 | 0.37 | 10.8 | 8.77 | 4.8 | 62.1 | 2.52 | 0.449 |
| IQRC005 | 110 | 111 | 0.242 | 0.059 | 0.301 | 0.39 | 17.4 | 15.25 | 6.3 | 110 | 2.52 | 0.598 |
| IQRC005 | 111 | 112 | 0.466 | 0.066 | 0.532 | 0.5 | 27.4 | 19.15 | 12 | 167.5 | 3.52 | 1.505 |
| IQRC005 | 112 | 113 | 0.622 | 0.058 | 0.680 | 0.28 | 35.3 | 9.42 | 16.8 | 36.8 | 1.58 | 2.37 |
| IQRC005 | 113 | 114 | 6.360 | 0.074 | 6.434 | 9.62 | 332 | 9.93 | 24.3 | 160 | 3.37 | 1.35 |
| IQRC005 | 115 | 116 | 1.360 | 0.050 | 1.410 | 1.42 | 68.1 | 28.9 | 17.4 | 44.5 | 3.2 | 1.06 |
| IQRC005 | 116 | 117 | 1.095 | 0.050 | 1.145 | 1.27 | 63.5 | 27.2 | 15.8 | 41.4 | 3.34 | 0.914 |
| IQRC005 | 117 | 118 | 0.397 | 0.015 | 0.412 | 0.48 | 21.7 | 8.4 | 5.9 | 18.5 | 1.66 | 0.361 |
| IQRC005 | 118 | 119 | 0.269 | 0.009 | 0.278 | 0.4 | 11.4 | 6.33 | 5.4 | 13.4 | 1.16 | 0.285 |
| IQRC005 | 119 | 120 | 0.665 | 0.018 | 0.683 | 0.85 | 27.8 | 9.86 | 9.6 | 22.3 | 2.6 | 0.303 |
| IQRC005 | 120 | 121 | 0.192 | 0.012 | 0.204 | 0.36 | 8.56 | 5.67 | 6.9 | 20 | 1.12 | 0.366 |
| IQRC005 | 121 | 122 | 0.099 | 0.002 | 0.101 | 0.15 | 3.07 | 3.61 | 5.9 | 5.7 | 0.72 | 0.365 |
| IQRC005 | 122 | 123 | 0.385 | 0.001 | 0.386 | 0.44 | 23.1 | 5.7 | 5.8 | 12 | 1.73 | 0.1875 |
| IQRC005 | 123 | 124 | 3.060 | 0.152 | 3.212 | 3.97 | 189.5 | 5.81 | 14.9 | 47.9 | 3.32 | 0.105 |
| IQRC005 | 124 | 125 | 9.560 | 0.542 | 10.102 | 11.95 | 576 | 5.5 | 32.4 | 108.5 | 3.22 | 0.14 |
| IQRC005 | 125 | 126 | 9.630 | 0.611 | 10.241 | 13.5 | 549 | 5.63 | 29.2 | 121 | 4.43 | 0.1765 |
| IQRC005 | 126 | 127 | 1.525 | 0.029 | 1.554 | 1.81 | 78.6 | 7.23 | 8.8 | 87.5 | 3.01 | 0.366 |
| IQRC005 | 127 | 128 | 4.310 | 0.038 | 4.348 | 5.55 | 257 | 5.06 | 25.6 | 108 | 3.2 | 0.319 |
| IQRC005 | 128 | 129 | 2.650 | 0.059 | 2.709 | 4.19 | 148.5 | 5.01 | 34.8 | 71.5 | 3.02 | 0.344 |
| IQRC005 | 129 | 130 | 1.735 | 0.065 | 1.800 | 4.37 | 103.5 | 5.54 | 25.1 | 73.1 | 3.09 | 0.362 |
| IQRC005 | 130 | 131 | 1.645 | 0.045 | 1.690 | 3.16 | 93.4 | 4.85 | 17.6 | 60.7 | 2.66 | 0.415 |
| IQRC005 | 131 | 132 | 2.400 | 0.051 | 2.451 | 3.67 | 132.5 | 5.09 | 16.4 | 89.7 | 3.16 | 0.358 |
| IQRC005 | 132 | 133 | 0.914 | 0.045 | 0.959 | 2.09 | 51.5 | 7.48 | 19.7 | 38.5 | 2.76 | 0.331 |
| IQRC005 | 133 | 134 | 0.166 | 0.036 | 0.201 | 0.61 | 8.52 | 9.29 | 5.8 | 11.8 | 2.46 | 0.237 |
| IQRC005 | 134 | 135 | 0.158 | 0.024 | 0.182 | 0.46 | 7.5 | 5.44 | 4.3 | 8.8 | 1.72 | 0.229 |
| IQRC005 | 135 | 136 | 0.206 | 0.013 | 0.219 | 0.43 | 9.71 | 4.55 | 4.3 | 10.4 | 1.33 | 0.24 |
| IQRC005 | 136 | 137 | 0.202 | 0.007 | 0.209 | 0.37 | 8.87 | 8.21 | 8.6 | 10.6 | 2.49 | 0.516 |
| IQRC005 | 137 | 138 | 0.119 | 0.006 | 0.125 | 0.34 | 4.87 | 9.93 | 7.8 | 10.6 | 3.26 | 0.367 |
| IQRC005 | 138 | 139 | 0.352 | 0.042 | 0.394 | 0.76 | 15.45 | 7.54 | 6.8 | 15 | 2.47 | 0.32 |
| IQRC005 | 139 | 140 | 0.197 | 0.039 | 0.235 | 0.58 | 8.2 | 7.56 | 6 | 11.2 | 2.69 | 0.329 |
| IQRC005 | 140 | 144 | 0.120 | 0.020 | 0.140 | 0.37 | 5.16 | 8.18 | 4.1 | 8.6 | 2.5 | 0.27 |
| IQRC005 | 144 | 148 | 0.076 | 0.003 | 0.079 | 0.17 | 3.25 | 3.49 | 2.5 | 4.9 | 0.94 | 0.224 |
| IQRC005 | 148 | 150 | 0.022 | 0.002 | 0.024 | 0.11 | 0.87 | 3.79 | 1.8 | 4.5 | 0.89 | 0.198 |
| IQRC006 | 0 | 4 | 0.001 | 0.001 | 0.003 | 0.09 | -0.02 | 159.5 | 3.2 | 9.6 | 5.79 | 0.0131 |
| IQRC006 | 4 | 8 | 0.003 | 0.003 | 0.006 | 0.44 | -0.02 | 148.5 | 2.7 | 5.1 | 2.94 | 0.0145 |
| IQRC006 | 8 | 12 | 0.002 | 0.012 | 0.014 | 0.35 | -0.02 | 383 | 3.1 | 4.8 | 3.94 | 0.0121 |
| IQRC006 | 12 | 16 | 0.002 | 0.010 | 0.012 | 1.04 | -0.02 | 116 | 1.9 | 3.2 | 1.76 | 0.0288 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC006 | 16 | 20 | 0.002 | 0.023 | 0.025 | 0.69 | -0.02 | 50.4 | 2.4 | 7.4 | 1.81 | 0.202 |
| IQRC006 | 20 | 24 | 0.003 | 0.014 | 0.017 | 0.59 | 0.03 | 58 | 1.8 | 3.6 | 1.99 | 0.1035 |
| IQRC006 | 24 | 28 | 0.003 | 0.015 | 0.019 | 0.61 | -0.02 | 96.9 | 2 | 7.6 | 6.71 | 0.0908 |
| IQRC006 | 28 | 32 | 0.001 | 0.015 | 0.016 | 0.64 | -0.02 | 60.4 | 1.4 | 7.7 | 8.36 | 0.0641 |
| IQRC006 | 32 | 36 | 0.001 | 0.005 | 0.006 | 0.72 | -0.02 | 270 | 0.6 | 6 | 14.85 | 0.009 |
| IQRC006 | 36 | 40 | 0.001 | 0.005 | 0.006 | 0.77 | -0.02 | 196.5 | 0.6 | 4.7 | 5.06 | 0.0061 |
| IQRC006 | 40 | 44 | 0.002 | 0.005 | 0.007 | 3.18 | -0.02 | 216 | 0.6 | 6.2 | 5.33 | 0.0069 |
| IQRC006 | 44 | 48 | 0.002 | 0.005 | 0.007 | 1.42 | -0.02 | 319 | 0.8 | 9.6 | 5.45 | 0.0064 |
| IQRC006 | 48 | 52 | 0.028 | 0.077 | 0.104 | 6.47 | 0.14 | 1265 | 34.1 | 178 | 8.24 | 0.0084 |
| IQRC006 | 52 | 56 | 0.037 | 0.056 | 0.093 | 9.13 | 0.31 | 787 | 17 | 167.5 | 8.9 | 0.0088 |
| IQRC006 | 56 | 57 | 0.062 | 0.077 | 0.139 | 3.03 | 0.63 | 601 | 15.6 | 226 | 5.13 | 0.0094 |
| IQRC006 | 57 | 58 | 0.180 | 0.235 | 0.415 | 2.44 | 5 | 525 | 30.3 | 599 | 3.27 | 0.0905 |
| IQRC006 | 58 | 59 | 0.250 | 0.338 | 0.588 | 2.07 | 18.1 | 545 | 37.7 | 793 | 3.14 | 0.397 |
| IQRC006 | 59 | 60 | 0.435 | 0.480 | 0.915 | 1.83 | 63.8 | 664 | 45.4 | 1130 | 3.26 | 1.435 |
| IQRC006 | 60 | 61 | 0.411 | 0.436 | 0.847 | 1.82 | 30.1 | 730 | 45.5 | 864 | 3.79 | 0.829 |
| IQRC006 | 61 | 62 | 0.491 | 0.328 | 0.819 | 1.24 | 33.5 | 754 | 51.2 | 625 | 3.5 | 1.315 |
| IQRC006 | 62 | 63 | 0.460 | 0.243 | 0.703 | 0.99 | 27.1 | 679 | 50.3 | 470 | 2.97 | 1.32 |
| IQRC006 | 63 | 64 | 0.220 | 0.074 | 0.294 | 0.45 | 10.45 | 359 | 25.2 | 137.5 | 1.98 | 0.734 |
| IQRC006 | 64 | 65 | 0.131 | 0.034 | 0.165 | 0.28 | 5.29 | 239 | 15.9 | 62 | 1.71 | 0.458 |
| IQRC006 | 65 | 66 | 0.075 | 0.019 | 0.094 | 0.22 | 3.14 | 170.5 | 12.2 | 39 | 1.44 | 0.284 |
| IQRC006 | 66 | 67 | 0.075 | 0.016 | 0.091 | 0.21 | 3.02 | 146.5 | 10.1 | 32.2 | 1.47 | 0.233 |
| IQRC006 | 67 | 68 | 0.199 | 0.022 | 0.221 | 0.28 | 3.59 | 224 | 25.7 | 41.4 | 1.7 | 0.438 |
| IQRC006 | 68 | 69 | 0.102 | 0.017 | 0.118 | 0.26 | 2.61 | 171 | 13.9 | 31.8 | 1.7 | 0.261 |
| IQRC006 | 69 | 70 | 0.033 | 0.004 | 0.036 | 0.15 | 0.64 | 104 | 7 | 9.2 | 1.3 | 0.1555 |
| IQRC006 | 70 | 71 | 0.025 | 0.003 | 0.029 | 0.2 | 0.56 | 121 | 8.5 | 11 | 1.86 | 0.1965 |
| IQRC006 | 71 | 72 | 0.029 | 0.004 | 0.034 | 0.21 | 0.59 | 137.5 | 8.8 | 14.7 | 2.51 | 0.202 |
| IQRC006 | 72 | 76 | 0.035 | 0.003 | 0.038 | 0.2 | 0.31 | 247 | 12.1 | 7.9 | 1.86 | 0.295 |
| IQRC006 | 76 | 77 | 0.019 | 0.002 | 0.020 | 0.12 | 0.18 | 71.5 | 6.6 | 5.4 | 0.88 | 0.223 |
| IQRC006 | 77 | 78 | 0.053 | 0.005 | 0.058 | 0.12 | 0.37 | 71.8 | 16.6 | 6.5 | 0.82 | 0.497 |
| IQRC006 | 78 | 79 | 0.265 | 0.010 | 0.275 | 0.2 | 1.18 | 107 | 40.6 | 11.4 | 1.28 | 0.826 |
| IQRC006 | 79 | 80 | 0.408 | 0.019 | 0.427 | 0.29 | 1.49 | 190 | 63.3 | 21.5 | 2.54 | 1.06 |
| IQRC006 | 80 | 81 | 0.724 | 0.044 | 0.768 | 0.51 | 1.7 | 425 | 66.4 | 47.5 | 4.08 | 2.41 |
| IQRC006 | 81 | 82 | 0.428 | 0.028 | 0.456 | 0.42 | 1.34 | 277 | 45.1 | 27.5 | 2.86 | 2.05 |
| IQRC006 | 82 | 83 | 0.133 | 0.013 | 0.145 | 0.3 | 0.54 | 101 | 28.1 | 10 | 1.42 | 0.662 |
| IQRC006 | 83 | 84 | 0.138 | 0.008 | 0.146 | 0.36 | 0.74 | 127.5 | 29.5 | 13.9 | 1.71 | 0.655 |
| IQRC006 | 84 | 85 | 0.244 | 0.024 | 0.268 | 0.43 | 2.17 | 204 | 32.4 | 43.2 | 2.41 | 0.739 |
| IQRC006 | 85 | 86 | 0.298 | 0.011 | 0.309 | 0.28 | 0.7 | 131 | 30.5 | 13.9 | 2.06 | 0.448 |
| IQRC006 | 86 | 87 | 0.155 | 0.012 | 0.167 | 0.25 | 0.94 | 101 | 18.4 | 19.3 | 1.39 | 0.341 |
| IQRC006 | 87 | 88 | 0.115 | 0.010 | 0.125 | 0.21 | 0.83 | 93.4 | 15.2 | 17.8 | 1.27 | 0.324 |
| IQRC006 | 88 | 89 | 0.089 | 0.004 | 0.093 | 0.15 | 0.27 | 75.6 | 13.2 | 8.3 | 1.12 | 0.281 |
| IQRC006 | 89 | 90 | 0.095 | 0.005 | 0.099 | 0.16 | 0.3 | 80.8 | 13.2 | 8.3 | 1.08 | 0.248 |
| IQRC006 | 90 | 91 | 0.070 | 0.008 | 0.078 | 0.24 | 0.51 | 113 | 15 | 12.8 | 1.88 | 0.245 |
| IQRC006 | 91 | 92 | 0.116 | 0.007 | 0.122 | 0.26 | 0.42 | 120 | 15.6 | 9.4 | 1.66 | 0.305 |
| IQRC006 | 92 | 93 | 0.099 | 0.005 | 0.104 | 0.19 | 0.35 | 132 | 14.6 | 8.7 | 1.96 | 0.298 |
| IQRC006 | 93 | 94 | 0.063 | 0.005 | 0.068 | 0.14 | 0.42 | 95.7 | 9.4 | 9.9 | 1.24 | 0.238 |
| IQRC006 | 94 | 95 | 0.033 | 0.003 | 0.036 | 0.1 | 0.22 | 71.2 | 6 | 7.9 | 1.02 | 0.1795 |
| IQRC006 | 95 | 96 | 0.040 | 0.004 | 0.043 | 0.12 | 0.24 | 75.9 | 6.6 | 8.5 | 1.04 | 0.1825 |
| IQRC006 | 96 | 97 | 0.087 | 0.006 | 0.093 | 0.16 | 0.48 | 102 | 12.5 | 12.6 | 1.17 | 0.308 |
| IQRC006 | 97 | 98 | 0.111 | 0.008 | 0.119 | 0.19 | 0.6 | 115.5 | 14.8 | 13.6 | 1.39 | 0.357 |
| IQRC006 | 98 | 99 | 0.079 | 0.006 | 0.085 | 0.17 | 1.09 | 116.5 | 12 | 15.4 | 1.82 | 0.316 |
| IQRC006 | 99 | 100 | 0.064 | 0.005 | 0.069 | 0.18 | 0.35 | 128 | 9.7 | 11 | 1.97 | 0.266 |
| IQRC006 | 100 | 104 | 0.085 | 0.007 | 0.092 | 0.29 | 0.79 | 119 | 13.6 | 12 | 1.75 | 0.311 |
| IQRC006 | 104 | 108 | 0.069 | 0.009 | 0.078 | 0.41 | 1.55 | 199 | 19.3 | 19.7 | 3.5 | 0.529 |
| IQRC006 | 108 | 112 | 0.056 | 0.004 | 0.059 | 0.16 | 0.42 | 84.4 | 10.2 | 7.7 | 1.2 | 0.267 |
| IQRC006 | 112 | 116 | 0.033 | 0.002 | 0.036 | 0.11 | 0.24 | 89.3 | 7.7 | 6.3 | 1.32 | 0.229 |
| IQRC006 | 116 | 120 | 0.056 | 0.004 | 0.060 | 0.16 | 0.39 | 103 | 11.4 | 9.3 | 1.5 | 0.1975 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC007 | 0 | 4 | 0.006 | 0.003 | 0.009 | 0.16 | 0.07 | 195 | 5.2 | 14.7 | 7.08 | 0.0308 |
| IQRC007 | 4 | 8 | 0.003 | 0.008 | 0.010 | 0.57 | 0.02 | 291 | 2.1 | 6.1 | 15.5 | 0.009 |
| IQRC007 | 8 | 12 | 0.002 | 0.014 | 0.016 | 0.49 | -0.02 | 152.5 | 0.6 | 4 | 9.05 | 0.0056 |
| IQRC007 | 12 | 16 | 0.002 | 0.025 | 0.027 | 0.32 | -0.02 | 87.3 | 0.8 | 4.1 | 6.25 | 0.0114 |
| IQRC007 | 16 | 20 | 0.002 | 0.028 | 0.030 | 0.44 | -0.02 | 111.5 | 1 | 4.7 | 6.98 | 0.0489 |
| IQRC007 | 20 | 24 | 0.002 | 0.024 | 0.026 | 0.38 | -0.02 | 225 | 2.1 | 11.7 | 13.9 | 0.172 |
| IQRC007 | 24 | 28 | 0.003 | 0.024 | 0.027 | 0.51 | -0.02 | 213 | 6.2 | 23.2 | 6.62 | 0.315 |
| IQRC007 | 28 | 32 | 0.005 | 0.025 | 0.030 | 0.63 | 0.04 | 270 | 1 | 15.6 | 6.82 | 0.0113 |
| IQRC007 | 32 | 36 | 0.002 | 0.008 | 0.010 | 0.65 | 0.03 | 170.5 | 0.7 | 9.4 | 4.97 | 0.0077 |
| IQRC007 | 36 | 40 | 0.005 | 0.017 | 0.022 | 1.54 | -0.02 | 715 | 0.8 | 25.1 | 11.3 | 0.0066 |
| IQRC007 | 40 | 41 | 0.009 | 0.310 | 0.319 | 19 | 0.02 | 1895 | 3.3 | 501 | 13.85 | 0.007 |
| IQRC007 | 41 | 42 | 0.015 | 0.064 | 0.079 | 4.26 | 0.03 | 1135 | 2.9 | 159 | 11.8 | 0.0096 |
| IQRC007 | 42 | 43 | 0.036 | 0.162 | 0.197 | 9.33 | 0.13 | 1705 | 4.1 | 474 | 13.9 | 0.0082 |
| IQRC007 | 43 | 44 | 0.070 | 0.395 | 0.465 | 12.4 | 0.21 | 1630 | 17.9 | 761 | 11.5 | 0.0157 |
| IQRC007 | 44 | 45 | 0.079 | 0.210 | 0.289 | 5.18 | 0.14 | 1755 | 22.1 | 284 | 13.05 | 0.0208 |
| IQRC007 | 45 | 46 | 0.103 | 0.204 | 0.307 | 3.62 | 1.71 | 1490 | 8.2 | 260 | 11.4 | 0.0124 |
| IQRC007 | 46 | 47 | 0.102 | 0.273 | 0.375 | 4.01 | 1.87 | 1235 | 11 | 257 | 10.35 | 0.013 |
| IQRC007 | 47 | 48 | 0.134 | 0.453 | 0.587 | 2.41 | 7.61 | 599 | 12.4 | 443 | 4.78 | 0.0223 |
| IQRC007 | 48 | 49 | 0.120 | 0.358 | 0.478 | 2.58 | 9.38 | 577 | 10.9 | 468 | 3.45 | 0.0342 |
| IQRC007 | 49 | 50 | 0.115 | 0.318 | 0.433 | 2.45 | 10.55 | 544 | 11 | 460 | 3.25 | 0.0354 |
| IQRC007 | 50 | 51 | 0.051 | 0.139 | 0.190 | 0.96 | 29.8 | 446 | 4.3 | 401 | 4.8 | 0.0999 |
| IQRC007 | 51 | 52 | 0.155 | 0.082 | 0.237 | 0.38 | 20.4 | 187 | 18.7 | 407 | 2.31 | 0.596 |
| IQRC007 | 52 | 53 | 0.146 | 0.122 | 0.268 | 0.34 | 25.1 | 230 | 8.3 | 258 | 0.99 | 0.1425 |
| IQRC007 | 53 | 54 | 0.131 | 0.115 | 0.246 | 0.29 | 18.4 | 221 | 7.4 | 207 | 1.09 | 0.0795 |
| IQRC007 | 54 | 55 | 0.163 | 0.287 | 0.450 | 0.42 | 20.8 | 205 | 10.7 | 270 | 1.1 | 0.0717 |
| IQRC007 | 55 | 56 | 0.126 | 0.206 | 0.332 | 0.35 | 20.9 | 147 | 9.7 | 222 | 0.86 | 0.0777 |
| IQRC007 | 56 | 57 | 0.067 | 0.089 | 0.156 | 0.21 | 13.65 | 81.3 | 6.4 | 120.5 | 0.56 | 0.0914 |
| IQRC007 | 57 | 58 | 0.075 | 0.098 | 0.173 | 0.31 | 13.65 | 389 | 7.2 | 134 | 1.39 | 0.0627 |
| IQRC007 | 58 | 59 | 0.113 | 0.117 | 0.230 | 0.37 | 11.65 | 265 | 9.3 | 128 | 1.48 | 0.1225 |
| IQRC007 | 59 | 60 | 0.190 | 0.142 | 0.332 | 0.64 | 11.55 | 524 | 14.6 | 141 | 2.69 | 0.1415 |
| IQRC007 | 60 | 61 | 0.134 | 0.097 | 0.231 | 0.47 | 7.96 | 412 | 13.8 | 104.5 | 2.17 | 0.1185 |
| IQRC007 | 61 | 62 | 0.097 | 0.074 | 0.171 | 0.4 | 6.78 | 304 | 11.8 | 83.1 | 1.76 | 0.102 |
| IQRC007 | 62 | 63 | 0.093 | 0.077 | 0.170 | 0.38 | 6.89 | 239 | 14 | 96.7 | 1.5 | 0.0907 |
| IQRC007 | 63 | 64 | 0.069 | 0.056 | 0.125 | 0.32 | 5.56 | 190.5 | 10.5 | 79.7 | 1.32 | 0.1205 |
| IQRC007 | 64 | 65 | 0.056 | 0.025 | 0.081 | 0.19 | 2.4 | 151.5 | 10.5 | 38 | 1.32 | 0.0979 |
| IQRC007 | 65 | 66 | 0.048 | 0.007 | 0.056 | 0.13 | 0.81 | 184 | 13.6 | 29.3 | 1.5 | 0.0873 |
| IQRC007 | 66 | 67 | 0.309 | 0.021 | 0.330 | 0.27 | 1.78 | 208 | 44.8 | 43.4 | 2.02 | 0.191 |
| IQRC007 | 67 | 68 | 0.097 | 0.039 | 0.136 | 0.23 | 4.19 | 192.5 | 16.5 | 64.8 | 1.5 | 0.0986 |
| IQRC007 | 68 | 69 | 0.072 | 0.009 | 0.080 | 0.13 | 0.95 | 123 | 13.2 | 14.8 | 1.28 | 0.0834 |
| IQRC007 | 69 | 70 | 0.026 | 0.003 | 0.029 | 0.09 | 0.32 | 81.3 | 5.5 | 6.7 | 0.98 | 0.0872 |
| IQRC007 | 70 | 71 | 0.019 | 0.002 | 0.021 | 0.09 | 0.21 | 74.2 | 6.7 | 6.5 | 0.89 | 0.172 |
| IQRC007 | 71 | 72 | 0.016 | 0.003 | 0.019 | 0.13 | 0.2 | 95.9 | 6.7 | 8.9 | 1.2 | 0.152 |
| IQRC007 | 72 | 73 | 0.038 | 0.003 | 0.041 | 0.15 | 0.27 | 149.5 | 10.1 | 7.3 | 2.21 | 0.1045 |
| IQRC007 | 73 | 74 | 0.111 | 0.007 | 0.118 | 0.21 | 0.66 | 161.5 | 31.9 | 20.2 | 1.72 | 0.18 |
| IQRC007 | 74 | 75 | 0.087 | 0.003 | 0.090 | 0.17 | 0.17 | 152.5 | 48.7 | 6.7 | 1.41 | 1.08 |
| IQRC007 | 75 | 76 | 0.039 | 0.002 | 0.041 | 0.12 | 0.11 | 78.4 | 16.3 | 5.3 | 1.02 | 0.191 |
| IQRC007 | 76 | 80 | 0.039 | 0.002 | 0.042 | 0.1 | 0.16 | 76.8 | 12.6 | 5.4 | 1.14 | 0.237 |
| IQRC007 | 80 | 84 | 0.044 | 0.009 | 0.053 | 0.42 | 0.43 | 123.5 | 15.3 | 10.6 | 1.52 | 0.285 |
| IQRC007 | 84 | 88 | 0.037 | 0.008 | 0.045 | 0.36 | 0.41 | 117 | 10.4 | 12.7 | 1.53 | 0.1645 |
| IQRC007 | 88 | 92 | 0.052 | 0.014 | 0.066 | 0.7 | 1.04 | 168 | 13.6 | 21.6 | 2.12 | 0.247 |
| IQRC007 | 92 | 96 | 0.036 | 0.010 | 0.045 | 0.18 | 0.38 | 156 | 10.1 | 7.9 | 2.02 | 0.34 |
| IQRC007 | 96 | 100 | 0.009 | 0.002 | 0.012 | 0.09 | 0.1 | 63 | 4.4 | 3.7 | 0.93 | 0.185 |
| IQRC007 | 100 | 104 | 0.010 | 0.002 | 0.012 | 0.19 | 0.1 | 77.7 | 4.7 | 4.8 | 1.42 | 0.1915 |
| IQRC007 | 104 | 108 | 0.016 | 0.003 | 0.019 | 0.15 | 0.15 | 106 | 9.5 | 6.2 | 1.9 | 0.195 |
| IQRC007 | 108 | 112 | 0.029 | 0.007 | 0.036 | 0.26 | 0.73 | 169 | 14.5 | 13.2 | 3.12 | 0.317 |
| IQRC007 | 112 | 116 | 0.015 | 0.003 | 0.018 | 0.18 | 0.41 | 80.6 | 7.1 | 6.7 | 1.14 | 0.184 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC007 | 116 | 120 | 0.018 | 0.006 | 0.024 | 0.23 | 0.53 | 75.9 | 8.3 | 8.8 | 0.96 | 0.212 |
| IQRC007 | 120 | 124 | 0.011 | 0.001 | 0.012 | 0.13 | 0.45 | 58.5 | 5.4 | 4 | 0.72 | 0.33 |
| IQRC007 | 124 | 128 | 0.038 | 0.009 | 0.047 | 0.52 | 1.1 | 141.5 | 19 | 15.4 | 2.19 | 0.348 |
| IQRC007 | 128 | 132 | 0.029 | 0.008 | 0.037 | 0.47 | 0.56 | 173.5 | 17.7 | 18 | 3.02 | 0.1755 |
| IQRC007 | 132 | 136 | 0.036 | 0.009 | 0.044 | 0.41 | 1.27 | 122 | 12.9 | 17.4 | 1.51 | 0.436 |
| IQRC007 | 136 | 140 | 0.005 | 0.001 | 0.006 | 0.22 | 0.13 | 70.5 | 4 | 4.9 | 0.98 | 0.203 |
| IQRC007 | 140 | 144 | 0.002 | 0.001 | 0.003 | 0.13 | 0.08 | 51.6 | 2.9 | 3 | 0.79 | 0.1915 |
| IQRC007 | 144 | 148 | 0.002 | 0.001 | 0.003 | 0.14 | 0.07 | 53.6 | 2.6 | 3.1 | 0.8 | 0.1765 |
| IQRC007 | 148 | 150 | 0.002 | 0.001 | 0.003 | 0.17 | 0.09 | 91.8 | 3.5 | 4.2 | 1.41 | 0.219 |
| IQRC010 | 0 | 4 | 0.010 | 0.003 | 0.012 | 0.1 | 0.14 | 25.9 | 7.5 | 10.4 | 6.04 | 0.0198 |
| IQRC010 | 4 | 8 | 0.004 | 0.009 | 0.013 | 0.15 | 0.11 | 20.3 | 8.3 | 7 | 4.74 | 0.016 |
| IQRC010 | 8 | 12 | 0.006 | 0.025 | 0.031 | 0.3 | 0.06 | 71 | 3.1 | 8.8 | 23.4 | 0.0083 |
| IQRC010 | 12 | 16 | 0.016 | 0.026 | 0.042 | 0.72 | 0.15 | 12.1 | 1.8 | 7.6 | 5.6 | 0.0088 |
| IQRC010 | 16 | 20 | 0.039 | 0.043 | 0.081 | 0.68 | 0.13 | 15.65 | 3.9 | 14 | 7.56 | 0.0314 |
| IQRC010 | 20 | 24 | 0.016 | 0.056 | 0.071 | 0.98 | 0.12 | 21.7 | 5.1 | 9.1 | 6.57 | 0.0797 |
| IQRC010 | 24 | 25 | 0.018 | 0.071 | 0.089 | 0.17 | 0.05 | 120.5 | 2.8 | 8.6 | 10.2 | 0.0623 |
| IQRC010 | 25 | 26 | 0.022 | 0.074 | 0.096 | 0.39 | 0.04 | 48 | 2.9 | 12 | 36.5 | 0.038 |
| IQRC010 | 26 | 27 | 0.050 | 0.116 | 0.165 | 0.4 | 0.08 | 109.5 | 4.5 | 16.2 | 26 | 0.0606 |
| IQRC010 | 27 | 28 | 0.004 | 0.076 | 0.079 | 0.52 | -0.02 | 19.75 | 1.2 | 6.3 | 5.51 | 0.0202 |
| IQRC010 | 28 | 29 | 0.005 | 0.092 | 0.097 | 0.53 | 0.02 | 29.9 | 2.2 | 7.7 | 7.56 | 0.0338 |
| IQRC010 | 29 | 30 | 0.007 | 0.070 | 0.077 | 0.55 | 0.02 | 17.25 | 3.4 | 10.1 | 4.52 | 0.0509 |
| IQRC010 | 30 | 31 | 0.005 | 0.053 | 0.058 | 0.4 | 0.02 | 7.36 | 3.8 | 9.3 | 2.68 | 0.0539 |
| IQRC010 | 31 | 32 | 0.006 | 0.068 | 0.074 | 0.21 | 0.08 | 6.86 | 6.8 | 12.4 | 3.77 | 0.0847 |
| IQRC010 | 32 | 33 | 0.006 | 0.169 | 0.174 | 0.34 | 0.03 | 13.35 | 11.7 | 21.4 | 3.12 | 0.21 |
| IQRC010 | 33 | 34 | 0.007 | 0.213 | 0.220 | 0.37 | 0.02 | 21.3 | 13.3 | 33.9 | 3.95 | 0.278 |
| IQRC010 | 34 | 35 | 0.008 | 0.122 | 0.130 | 0.42 | 0.07 | 21.7 | 8.3 | 21.9 | 7.19 | 0.136 |
| IQRC010 | 35 | 36 | 0.011 | 0.092 | 0.104 | 0.45 | 0.06 | 33.3 | 5 | 17.8 | 13.25 | 0.0799 |
| IQRC010 | 36 | 40 | 0.006 | 0.067 | 0.072 | 0.55 | 0.06 | 21.1 | 3.6 | 16.4 | 6.56 | 0.0703 |
| IQRC010 | 40 | 44 | 0.008 | 0.028 | 0.037 | 1.2 | 0.13 | 12.35 | 1.3 | 18.1 | 9.02 | 0.017 |
| IQRC010 | 44 | 48 | 0.030 | 0.049 | 0.079 | 0.9 | 0.26 | 30.8 | 2.2 | 63.6 | 11.25 | 0.0249 |
| IQRC010 | 48 | 49 | 0.164 | 0.091 | 0.254 | 0.92 | 1.04 | 52.5 | 4.3 | 265 | 6.43 | 0.0229 |
| IQRC010 | 50 | 51 | 0.054 | 0.028 | 0.082 | 0.28 | 0.72 | 33.2 | 2 | 112 | 1.89 | 0.0329 |
| IQRC010 | 51 | 52 | 0.095 | 0.044 | 0.139 | 0.23 | 1.82 | 45.5 | 2.7 | 163 | 2.84 | 0.0547 |
| IQRC010 | 52 | 53 | 0.114 | 0.053 | 0.166 | 0.24 | 2.73 | 48.7 | 3.5 | 186 | 3.38 | 0.0666 |
| IQRC010 | 53 | 54 | 0.259 | 0.066 | 0.325 | 0.3 | 21.2 | 36 | 5.3 | 247 | 2.98 | 0.103 |
| IQRC010 | 54 | 55 | 0.271 | 0.034 | 0.305 | 0.49 | 27.5 | 15.3 | 3.2 | 101.5 | 1.57 | 0.0915 |
| IQRC010 | 55 | 56 | 0.270 | 0.010 | 0.280 | 0.21 | 32.2 | 10.2 | 2.2 | 67.4 | 0.81 | 0.1075 |
| IQRC010 | 56 | 57 | 0.595 | 0.019 | 0.614 | 0.3 | 47.1 | 6.65 | 2.9 | 71.8 | 0.65 | 0.125 |
| IQRC010 | 57 | 58 | 0.448 | 0.030 | 0.478 | 0.25 | 31.6 | 10.3 | 3.6 | 86.8 | 1.38 | 0.1335 |
| IQRC010 | 58 | 59 | 0.505 | 0.017 | 0.522 | 0.18 | 13.3 | 7.97 | 3.8 | 66.3 | 0.89 | 0.154 |
| IQRC010 | 59 | 60 | 0.545 | 0.014 | 0.559 | 0.17 | 13.6 | 9.13 | 3.6 | 60.6 | 0.77 | 0.1775 |
| IQRC010 | 60 | 61 | 0.476 | 0.011 | 0.487 | 0.35 | 12.95 | 5.83 | 3.3 | 38.4 | 0.64 | 0.1385 |
| IQRC010 | 61 | 62 | 0.463 | 0.007 | 0.470 | 0.16 | 5.22 | 5.88 | 2.6 | 23.6 | 0.43 | 0.1625 |
| IQRC010 | 62 | 63 | 0.433 | 0.009 | 0.442 | 0.14 | 4.38 | 6.04 | 2.9 | 19.6 | 0.49 | 0.166 |
| IQRC010 | 63 | 64 | 0.379 | 0.014 | 0.393 | 0.08 | 4.92 | 8.88 | 4 | 24.1 | 0.52 | 0.1955 |
| IQRC010 | 64 | 65 | 0.356 | 0.029 | 0.385 | 0.19 | 9.71 | 9.44 | 5.1 | 34.3 | 0.79 | 0.18 |
| IQRC010 | 65 | 66 | 0.537 | 0.081 | 0.618 | 0.23 | 9.87 | 13.3 | 18.4 | 79.6 | 1.1 | 0.527 |
| IQRC010 | 66 | 67 | 0.660 | 0.083 | 0.743 | 0.16 | 19.05 | 16.25 | 28.7 | 89.8 | 0.96 | 1.325 |
| IQRC010 | 67 | 68 | 0.588 | 0.088 | 0.676 | 0.41 | 10.1 | 16 | 32.2 | 89 | 1.71 | 1.17 |
| IQRC010 | 68 | 69 | 0.381 | 0.051 | 0.432 | 0.37 | 7.44 | 11.1 | 18.9 | 66.1 | 1.32 | 0.666 |
| IQRC010 | 69 | 70 | 0.160 | 0.018 | 0.177 | 0.34 | 2.71 | 6.64 | 7.2 | 30.9 | 0.98 | 0.344 |
| IQRC010 | 70 | 71 | 0.149 | 0.026 | 0.175 | 0.74 | 2.41 | 6.1 | 7.1 | 28.2 | 0.84 | 0.404 |
| IQRC010 | 71 | 72 | 0.355 | 0.098 | 0.453 | 0.26 | 6.01 | 11.3 | 17.2 | 65.9 | 1.38 | 0.951 |
| IQRC010 | 72 | 73 | 0.235 | 0.048 | 0.283 | 0.15 | 4.9 | 9.52 | 10.9 | 31.1 | 1.3 | 0.599 |
| IQRC010 | 73 | 74 | 0.113 | 0.027 | 0.140 | 0.08 | 3.85 | 7.2 | 5.4 | 12 | 1.07 | 0.251 |
| IQRC010 | 74 | 75 | 0.211 | 0.040 | 0.251 | 0.41 | 5.65 | 12.4 | 8.9 | 17.8 | 1.99 | 0.305 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|--------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC010 | 75 | 76 | 0.234 | 0.258 | 0.492 | 5.99 | 5.18 | 26 | 18 | 55 | 2.64 | 1.32 |
| IQRC010 | 76 | 77 | 0.224 | 0.169 | 0.393 | 2.42 | 5.54 | 18.05 | 14 | 45.7 | 2.31 | 0.819 |
| IQRC010 | 77 | 78 | 2.780 | 0.219 | 2.999 | 3.61 | 137 | 15.1 | 19.2 | 96.8 | 3.38 | 0.846 |
| IQRC010 | 78 | 79 | 2.030 | 0.217 | 2.247 | 2.14 | 108.5 | 17.4 | 29.4 | 80.4 | 4.12 | 1.285 |
| IQRC010 | 79 | 80 | 1.525 | 0.359 | 1.884 | 2.29 | 83.7 | 18.65 | 20.3 | 73 | 3.66 | 0.789 |
| IQRC010 | 80 | 81 | 0.274 | 0.233 | 0.507 | 0.71 | 11.95 | 7.94 | 9 | 26.7 | 1.55 | 0.435 |
| IQRC010 | 81 | 82 | 0.054 | 0.031 | 0.085 | 0.2 | 2.22 | 5.04 | 4.3 | 9.5 | 1.23 | 0.226 |
| IQRC010 | 82 | 83 | 0.020 | 0.008 | 0.028 | 0.16 | 0.67 | 4.6 | 7.1 | 10 | 0.75 | 0.475 |
| IQRC010 | 83 | 84 | 0.046 | 0.007 | 0.052 | 0.21 | 1.99 | 4.64 | 5.8 | 53.9 | 0.91 | 0.254 |
| IQRC010 | 84 | 85 | 0.174 | 0.024 | 0.198 | 0.52 | 6.18 | 3.81 | 5 | 383 | 0.57 | 0.199 |
| IQRC010 | 85 | 86 | 0.096 | 0.015 | 0.112 | 0.32 | 3.46 | 4.01 | 3.6 | 194.5 | 0.65 | 0.195 |
| IQRC010 | 86 | 87 | 0.032 | 0.007 | 0.039 | 0.14 | 0.92 | 3.5 | 2.9 | 32.2 | 0.72 | 0.17 |
| IQRC010 | 87 | 88 | 0.021 | 0.003 | 0.023 | 0.13 | 0.47 | 4.45 | 3.3 | 16.9 | 0.87 | 0.1845 |
| IQRC010 | 88 | 89 | 0.047 | 0.010 | 0.057 | 0.18 | 1.58 | 4.38 | 2.8 | 57.3 | 0.8 | 0.169 |
| IQRC010 | 89 | 90 | 0.020 | 0.003 | 0.024 | 0.11 | 0.56 | 3.14 | 2.3 | 18.8 | 0.57 | 0.161 |
| IQRC010 | 90 | 91 | 0.219 | 0.021 | 0.240 | 0.48 | 9.51 | 6.01 | 7.9 | 255 | 1.18 | 0.256 |
| IQRC010 | 91 | 92 | 0.044 | 0.006 | 0.050 | 0.17 | 1.78 | 3.79 | 2.8 | 49.1 | 0.73 | 0.124 |
| IQRC010 | 92 | 93 | 0.025 | 0.004 | 0.029 | 0.2 | 0.82 | 3.27 | 4.4 | 24.1 | 0.49 | 0.173 |
| IQRC010 | 93 | 94 | 0.016 | 0.002 | 0.018 | 0.09 | 0.67 | 4 | 2.1 | 14 | 0.61 | 0.1205 |
| IQRC010 | 94 | 95 | 0.028 | 0.004 | 0.032 | 0.18 | 1.02 | 6.33 | 1.7 | 9.1 | 1.11 | 0.107 |
| IQRC010 | 95 | 96 | 2.670 | 0.049 | 2.719 | 3.53 | 151.5 | 15.6 | 16.5 | 106 | 3.26 | 0.813 |
| IQRC010 | 96 | 97 | 0.831 | 0.133 | 0.964 | 1.28 | 38.2 | 6.08 | 15.6 | 80.1 | 1.16 | 0.769 |
| IQRC010 | 97 | 98 | 0.984 | 0.207 | 1.191 | 2.01 | 53.2 | 8.32 | 18 | 181.5 | 1.61 | 0.695 |
| IQRC010 | 98 | 99 | 9.660 | 0.759 | 10.419 | 15.5 | 506 | 12.65 | 38.9 | 506 | 14.2 | 0.684 |
| IQRC010 | 99 | 100 | 8.790 | 0.712 | 9.502 | 15.75 | 489 | 12.9 | 38.2 | 500 | 13.6 | 0.656 |
| IQRC010 | 100 | 101 | 10.550 | 0.916 | 11.466 | 23.1 | 713 | 17.6 | 50.8 | 636 | 13.7 | 0.358 |
| IQRC010 | 101 | 102 | 6.460 | 0.291 | 6.751 | 9.21 | 442 | 7.18 | 26.6 | 241 | 5.84 | 0.229 |
| IQRC010 | 102 | 103 | 1.805 | 0.136 | 1.941 | 3.64 | 121.5 | 8.93 | 16.6 | 194 | 3.17 | 0.312 |
| IQRC010 | 103 | 104 | 0.801 | 0.064 | 0.865 | 1.79 | 50.4 | 7.57 | 9.3 | 102 | 2.32 | 0.294 |
| IQRC010 | 104 | 105 | 0.570 | 0.062 | 0.632 | 1.58 | 36.5 | 11.95 | 10.9 | 49.7 | 3.16 | 0.438 |
| IQRC010 | 105 | 106 | 0.407 | 0.045 | 0.452 | 1.12 | 25.2 | 6.1 | 6.8 | 43.3 | 1.85 | 0.394 |
| IQRC010 | 106 | 107 | 0.384 | 0.111 | 0.495 | 0.82 | 21.1 | 16.75 | 14.7 | 55.1 | 3.58 | 0.669 |
| IQRC010 | 107 | 108 | 0.840 | 0.102 | 0.942 | 2.21 | 54.6 | 10.25 | 12.8 | 65.4 | 2.72 | 0.44 |
| IQRC010 | 108 | 109 | 0.381 | 0.040 | 0.421 | 0.82 | 19.1 | 5.22 | 6.2 | 37.9 | 1.53 | 0.1735 |
| IQRC010 | 109 | 110 | 0.301 | 0.071 | 0.372 | 0.68 | 15.8 | 5.03 | 5 | 55.3 | 1.24 | 0.1905 |
| IQRC010 | 110 | 111 | 0.549 | 0.374 | 0.923 | 1.83 | 28.3 | 2.78 | 6.6 | 198 | 0.82 | 0.1805 |
| IQRC010 | 111 | 112 | 3.160 | 0.902 | 4.062 | 4.19 | 102.5 | 4.42 | 15.6 | 440 | 1.08 | 0.44 |
| IQRC010 | 112 | 113 | 0.910 | 0.283 | 1.193 | 1.27 | 27.7 | 7.78 | 32.4 | 1155 | 1.23 | 0.958 |
| IQRC010 | 113 | 114 | 0.656 | 0.213 | 0.869 | 0.84 | 18 | 12.85 | 33.4 | 1105 | 2.35 | 1.005 |
| IQRC010 | 114 | 115 | 0.725 | 0.211 | 0.936 | 0.61 | 19.4 | 10.9 | 51.7 | 1400 | 1.21 | 1.24 |
| IQRC010 | 115 | 116 | 0.992 | 0.239 | 1.231 | 1.31 | 33.1 | 13.65 | 56.7 | 1645 | 1.8 | 1.02 |
| IQRC010 | 116 | 117 | 0.812 | 0.206 | 1.018 | 1.13 | 31.5 | 11.6 | 42.5 | 989 | 1.67 | 0.788 |
| IQRC010 | 117 | 118 | 0.739 | 0.172 | 0.911 | 0.96 | 45.1 | 11.7 | 19 | 242 | 2.26 | 0.297 |
| IQRC010 | 118 | 119 | 18.450 | 3.040 | 21.490 | 29.1 | 1360 | 3.86 | 38.7 | 241 | 2.5 | 0.1075 |
| IQRC010 | 119 | 120 | 8.380 | 3.240 | 11.620 | 25.8 | 591 | 6.55 | 29 | 280 | 2.02 | 0.229 |
| IQRC010 | 120 | 121 | 4.410 | 2.540 | 6.950 | 10.25 | 267 | 4.24 | 22.1 | 160.5 | 1.55 | 0.263 |
| IQRC010 | 121 | 122 | 3.520 | 1.870 | 5.390 | 5.9 | 197 | 3.5 | 28.9 | 148 | 1.3 | 0.25 |
| IQRC010 | 122 | 123 | 3.540 | 1.915 | 5.455 | 5.37 | 202 | 2.35 | 23.7 | 99.1 | 1.53 | 0.1285 |
| IQRC010 | 123 | 124 | 0.562 | 0.673 | 1.235 | 1.85 | 39.4 | 6.15 | 15.5 | 48.7 | 1.28 | 0.263 |
| IQRC010 | 124 | 125 | 1.110 | 0.430 | 1.540 | 2.31 | 73.8 | 7.76 | 32.5 | 51.3 | 1.56 | 0.392 |
| IQRC010 | 125 | 126 | 4.350 | 1.325 | 5.675 | 8.9 | 293 | 6.45 | 21.2 | 200 | 1.53 | 0.295 |
| IQRC010 | 126 | 127 | 2.880 | 0.755 | 3.635 | 4.17 | 163 | 8.34 | 66.6 | 53.7 | 2.02 | 2.23 |
| IQRC010 | 127 | 128 | 0.747 | 0.139 | 0.886 | 0.53 | 18.9 | 13.1 | 101.5 | 33.8 | 1.49 | 4.25 |
| IQRC010 | 128 | 129 | 0.375 | 0.059 | 0.434 | 0.42 | 8.25 | 10.4 | 61.5 | 33.4 | 1.57 | 1.6 |
| IQRC010 | 129 | 130 | 0.049 | 0.013 | 0.062 | 0.22 | 1.05 | 6.06 | 10.3 | 6.8 | 1.07 | 0.272 |
| IQRC010 | 130 | 131 | 0.072 | 0.016 | 0.088 | 0.26 | 2.4 | 4.75 | 12.3 | 9 | 0.85 | 0.439 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|--------|
| IQRC010 | 131 | 132 | 0.113 | 0.026 | 0.139 | 0.31 | 4.3 | 5.24 | 14.8 | 10.7 | 0.79 | 0.532 |
| IQRC010 | 132 | 133 | 0.093 | 0.017 | 0.111 | 0.24 | 3.83 | 4.3 | 11.6 | 9.3 | 1.11 | 0.427 |
| IQRC010 | 133 | 134 | 0.057 | 0.009 | 0.066 | 0.18 | 2.11 | 3.39 | 10.1 | 9.1 | 0.75 | 0.332 |
| IQRC010 | 134 | 135 | 0.065 | 0.019 | 0.084 | 0.26 | 2.98 | 4.72 | 9.2 | 21.9 | 1.07 | 0.321 |
| IQRC010 | 135 | 136 | 0.084 | 0.014 | 0.098 | 0.3 | 4.19 | 4.91 | 9 | 22.1 | 1.33 | 0.346 |
| IQRC010 | 136 | 137 | 0.183 | 0.024 | 0.207 | 0.36 | 9.33 | 3.88 | 11.1 | 18.9 | 1.12 | 0.436 |
| IQRC010 | 137 | 138 | 0.209 | 0.030 | 0.239 | 0.42 | 11.75 | 5.83 | 12 | 18.6 | 1.4 | 0.429 |
| IQRC010 | 138 | 139 | 3.590 | 0.060 | 3.650 | 2.11 | 126 | 2.41 | 133 | 152 | 1.4 | 0.19 |
| IQRC010 | 139 | 140 | 2.540 | 0.122 | 2.662 | 2.25 | 102.5 | 3.21 | 118 | 100 | 1.33 | 0.193 |
| IQRC010 | 140 | 141 | 1.865 | 0.816 | 2.681 | 6.23 | 74.9 | 3.26 | 303 | 307 | 2.1 | 0.177 |
| IQRC010 | 141 | 142 | 1.550 | 1.060 | 2.610 | 8.04 | 59.7 | 6.16 | 264 | 762 | 2.52 | 0.182 |
| IQRC010 | 142 | 143 | 0.636 | 0.338 | 0.974 | 3.49 | 24.8 | 4.72 | 93 | 1440 | 1.64 | 0.233 |
| IQRC010 | 143 | 144 | 0.659 | 0.371 | 1.030 | 3.06 | 23.3 | 5.45 | 53.8 | 1110 | 1.48 | 0.269 |
| IQRC010 | 144 | 145 | 0.499 | 0.071 | 0.570 | 0.84 | 16.05 | 6.09 | 32.1 | 173.5 | 1.11 | 0.408 |
| IQRC010 | 145 | 146 | 0.207 | 0.040 | 0.247 | 0.48 | 6.58 | 6.49 | 17.7 | 71 | 1.6 | 0.389 |
| IQRC010 | 146 | 147 | 0.122 | 0.026 | 0.148 | 0.4 | 3.71 | 6.07 | 10.8 | 49.9 | 1.64 | 0.304 |
| IQRC010 | 147 | 148 | 0.058 | 0.016 | 0.074 | 0.32 | 1.6 | 6.14 | 8.9 | 47.6 | 1.21 | 0.26 |
| IQRC010 | 148 | 149 | 0.144 | 0.088 | 0.231 | 1.58 | 4.27 | 6.15 | 18.7 | 329 | 1.3 | 0.253 |
| IQRC010 | 149 | 150 | 0.077 | 0.013 | 0.090 | 0.46 | 1.88 | 5.78 | 5.9 | 24.4 | 1.07 | 0.197 |
| IQRC010 | 150 | 151 | 0.046 | 0.007 | 0.053 | 0.44 | 1.28 | 8.48 | 4.6 | 8.7 | 1.45 | 0.1875 |
| IQRC010 | 151 | 152 | 0.040 | 0.007 | 0.047 | 0.47 | 0.99 | 7.81 | 4.6 | 8.5 | 1.19 | 0.188 |
| IQRC010 | 152 | 156 | 0.007 | 0.003 | 0.010 | 0.29 | 0.18 | 7.39 | 4.3 | 23.1 | 1.35 | 0.273 |
| IQRC010 | 156 | 160 | 0.026 | 0.004 | 0.030 | 0.18 | 0.9 | 7.01 | 5.2 | 42.1 | 1.37 | 0.317 |
| IQRC010 | 160 | 164 | 0.012 | 0.004 | 0.016 | 0.33 | 0.36 | 8.03 | 7.9 | 17.6 | 2.05 | 0.267 |
| IQRC010 | 164 | 168 | 0.005 | 0.002 | 0.007 | 0.25 | 0.15 | 9.24 | 7.5 | 10.2 | 2.74 | 0.314 |
| IQRC010 | 168 | 172 | 0.007 | 0.001 | 0.008 | 0.17 | 0.22 | 13.55 | 8.3 | 6.7 | 3.7 | 0.3 |
| IQRC010 | 172 | 174 | 0.002 | 0.002 | 0.004 | 0.17 | 0.07 | 11.4 | 4.9 | 6.3 | 3.07 | 0.276 |
| IQRC011 | 0 | 4 | 0.004 | 0.039 | 0.044 | 0.32 | 0.1 | 48.9 | 3.9 | 17.6 | 11 | 0.0174 |
| IQRC011 | 4 | 8 | 0.002 | 0.118 | 0.120 | 0.32 | 0.02 | 39.7 | 2.5 | 11.4 | 8.77 | 0.0138 |
| IQRC011 | 8 | 12 | 0.004 | 0.134 | 0.138 | 0.49 | 0.03 | 31.7 | 2.9 | 16.9 | 7.1 | 0.0119 |
| IQRC011 | 12 | 16 | 0.006 | 0.077 | 0.083 | 0.68 | 0.04 | 39 | 1.1 | 19.1 | 6.99 | 0.0059 |
| IQRC011 | 16 | 20 | 0.010 | 0.073 | 0.083 | 0.64 | 0.02 | 22.9 | 0.8 | 21 | 8.27 | 0.004 |
| IQRC011 | 20 | 24 | 0.018 | 0.106 | 0.124 | 1.11 | 0.04 | 41.8 | 5.1 | 54.7 | 9.1 | 0.0536 |
| IQRC011 | 24 | 25 | 0.023 | 0.168 | 0.191 | 1.29 | 0.05 | 91.1 | 6.1 | 97.1 | 11.7 | 0.1205 |
| IQRC011 | 25 | 26 | 0.030 | 0.148 | 0.178 | 1.22 | 0.06 | 212 | 7.4 | 135.5 | 10.7 | 0.16 |
| IQRC011 | 26 | 27 | 1.265 | 0.451 | 1.716 | 0.95 | 1.74 | 145.5 | 75.5 | 562 | 6.83 | 0.474 |
| IQRC011 | 27 | 28 | 0.402 | 0.153 | 0.555 | 1.81 | 0.58 | 162 | 26.2 | 214 | 3.27 | 0.153 |
| IQRC011 | 28 | 29 | 0.533 | 0.204 | 0.737 | 1.2 | 0.79 | 127 | 37 | 340 | 3.57 | 0.221 |
| IQRC011 | 29 | 30 | 0.066 | 0.134 | 0.200 | 1.18 | 0.22 | 54.9 | 8.7 | 105 | 9.34 | 0.0927 |
| IQRC011 | 30 | 31 | 0.241 | 0.097 | 0.338 | 1.99 | 0.72 | 216 | 16.4 | 300 | 3.87 | 0.0887 |
| IQRC011 | 31 | 32 | 0.474 | 0.152 | 0.626 | 1.68 | 1.62 | 265 | 32.4 | 596 | 5.2 | 0.129 |
| IQRC011 | 32 | 33 | 0.228 | 1.460 | 1.688 | 1.2 | 10 | 152.5 | 58.3 | 652 | 6.98 | 2.53 |
| IQRC011 | 33 | 34 | 0.493 | 6.110 | 6.603 | 1.26 | 23.7 | 337 | 255 | 2310 | 5.19 | 10 |
| IQRC011 | 34 | 35 | 0.527 | 5.250 | 5.777 | 1.36 | 22.9 | 309 | 223 | 2120 | 5.28 | 8.8 |
| IQRC011 | 35 | 36 | 0.431 | 3.210 | 3.641 | 1.32 | 12.7 | 279 | 132.5 | 1445 | 5.26 | 5.14 |
| IQRC011 | 36 | 37 | 0.335 | 1.560 | 1.895 | 1.16 | 3.31 | 232 | 58.1 | 993 | 5.9 | 2.38 |
| IQRC011 | 37 | 38 | 0.397 | 1.575 | 1.972 | 1.39 | 4.75 | 312 | 70.6 | 1040 | 6.76 | 2.42 |
| IQRC011 | 38 | 39 | 0.377 | 1.295 | 1.672 | 1.17 | 4.71 | 208 | 71.4 | 963 | 7.23 | 2.2 |
| IQRC011 | 39 | 40 | 0.392 | 1.245 | 1.637 | 1.19 | 4.76 | 170 | 82.8 | 954 | 6.84 | 2.41 |
| IQRC011 | 40 | 41 | 0.451 | 1.060 | 1.511 | 1.36 | 4.89 | 133.5 | 81.2 | 955 | 7.57 | 2.12 |
| IQRC011 | 41 | 42 | 0.387 | 0.770 | 1.157 | 1.56 | 3.45 | 122.5 | 54.8 | 762 | 7.58 | 1.425 |
| IQRC011 | 42 | 43 | 0.469 | 0.437 | 0.906 | 1.22 | 20.5 | 79 | 43.5 | 637 | 6.24 | 0.978 |
| IQRC011 | 43 | 44 | 0.462 | 0.592 | 1.054 | 1.16 | 15.85 | 86.7 | 51.2 | 716 | 6.21 | 1.255 |



| Hole ID | From | To | Zn % | Pb % | Zn + Pb % | Ag (g/t) | Cd ppm | Ce ppm | Co ppm | Cu ppm | Ga ppm | Mn % |
|---------|------|-----|-------|-------|-----------|----------|--------|--------|--------|--------|--------|-------|
| IQRC011 | 44 | 45 | 0.576 | 0.453 | 1.029 | 1.23 | 18.1 | 69 | 46 | 767 | 6.22 | 1.21 |
| IQRC011 | 45 | 46 | 0.512 | 0.527 | 1.039 | 1.24 | 17.1 | 72.5 | 45.4 | 693 | 5.88 | 1.34 |
| IQRC011 | 46 | 47 | 0.431 | 0.253 | 0.684 | 1.03 | 34.7 | 46.4 | 33.7 | 412 | 4.12 | 1.005 |
| IQRC011 | 47 | 48 | 0.373 | 0.184 | 0.557 | 0.7 | 35.3 | 32.6 | 24.3 | 303 | 3.05 | 0.812 |
| IQRC011 | 48 | 49 | 0.305 | 0.167 | 0.472 | 0.75 | 21.7 | 43.7 | 23.9 | 283 | 4.91 | 0.728 |
| IQRC011 | 49 | 50 | 0.301 | 0.075 | 0.376 | 0.52 | 22.3 | 26.7 | 18 | 134.5 | 3.17 | 0.612 |
| IQRC011 | 50 | 51 | 0.268 | 0.068 | 0.336 | 0.38 | 24.9 | 20 | 14.9 | 125.5 | 2.39 | 0.616 |
| IQRC011 | 51 | 52 | 0.287 | 0.059 | 0.346 | 0.34 | 16.5 | 25.1 | 16.3 | 82.4 | 3.27 | 0.64 |
| IQRC011 | 52 | 53 | 0.247 | 0.056 | 0.303 | 0.42 | 18.1 | 20 | 13.6 | 88 | 2.49 | 0.549 |
| IQRC011 | 53 | 54 | 0.289 | 0.101 | 0.390 | 0.61 | 21 | 30.2 | 19.8 | 156 | 3.33 | 0.598 |
| IQRC011 | 54 | 55 | 0.296 | 0.124 | 0.420 | 0.88 | 19.35 | 36.2 | 22.3 | 169 | 3.66 | 0.63 |
| IQRC011 | 55 | 56 | 0.345 | 0.060 | 0.405 | 0.32 | 12.4 | 22.5 | 27.4 | 81.7 | 1.8 | 0.635 |
| IQRC011 | 56 | 57 | 0.298 | 0.089 | 0.387 | 0.87 | 12.85 | 27.7 | 26.2 | 119 | 3.48 | 0.55 |
| IQRC011 | 57 | 58 | 0.303 | 0.051 | 0.354 | 1.04 | 9.42 | 29.1 | 28 | 79.3 | 4.94 | 0.493 |
| IQRC011 | 58 | 59 | 0.316 | 0.052 | 0.368 | 1.52 | 7.88 | 23.5 | 29.8 | 75.5 | 4.04 | 0.524 |
| IQRC011 | 59 | 60 | 0.298 | 0.036 | 0.334 | 2.01 | 4.14 | 15.85 | 26 | 55.4 | 3.15 | 0.351 |
| IQRC011 | 60 | 61 | 0.294 | 0.034 | 0.328 | 2.23 | 2.68 | 18 | 26.4 | 58.4 | 3.99 | 0.315 |
| IQRC011 | 61 | 62 | 0.299 | 0.050 | 0.349 | 1.65 | 4.63 | 19.65 | 28 | 70.7 | 3.71 | 0.385 |
| IQRC011 | 62 | 63 | 0.263 | 0.051 | 0.314 | 3.63 | 6.36 | 15.15 | 33.1 | 52.3 | 2.53 | 0.806 |
| IQRC011 | 63 | 64 | 0.267 | 0.070 | 0.337 | 4.64 | 7.47 | 16.5 | 30.7 | 64.1 | 2.4 | 0.851 |
| IQRC011 | 64 | 65 | 0.209 | 0.061 | 0.270 | 4.08 | 7.85 | 12.95 | 25.1 | 35.7 | 1.62 | 0.932 |
| IQRC011 | 65 | 66 | 0.207 | 0.058 | 0.265 | 4.02 | 8.37 | 15.7 | 25.3 | 31.6 | 1.64 | 0.874 |
| IQRC011 | 66 | 67 | 0.261 | 0.070 | 0.331 | 1.36 | 14.35 | 16.05 | 28.4 | 37.1 | 1.74 | 1.21 |
| IQRC011 | 67 | 68 | 0.253 | 0.075 | 0.328 | 2.03 | 14.2 | 15.5 | 26.4 | 58.4 | 1.74 | 0.891 |
| IQRC011 | 68 | 69 | 0.058 | 0.016 | 0.074 | 0.48 | 3.64 | 9.1 | 5.2 | 8.8 | 1.11 | 0.26 |
| IQRC011 | 69 | 70 | 0.240 | 0.072 | 0.312 | 1.2 | 12.65 | 18.5 | 23.5 | 63.8 | 2.05 | 0.986 |
| IQRC011 | 70 | 71 | 0.091 | 0.026 | 0.118 | 0.69 | 5.39 | 9.46 | 9.7 | 20.1 | 1.25 | 0.355 |
| IQRC011 | 71 | 72 | 0.078 | 0.020 | 0.097 | 0.63 | 4.64 | 5.9 | 8.7 | 12.2 | 0.97 | 0.303 |
| IQRC011 | 72 | 73 | 0.121 | 0.037 | 0.158 | 0.85 | 6.19 | 11.85 | 14.6 | 26.6 | 1.93 | 0.415 |
| IQRC011 | 73 | 74 | 0.256 | 0.095 | 0.351 | 1.34 | 7.76 | 12.85 | 41.7 | 18.8 | 1.06 | 1.415 |
| IQRC011 | 74 | 75 | 0.052 | 0.016 | 0.068 | 0.51 | 2.36 | 6.5 | 5.5 | 7.1 | 0.92 | 0.332 |
| IQRC011 | 75 | 76 | 0.048 | 0.014 | 0.061 | 0.45 | 2.03 | 5.9 | 4.7 | 6.4 | 0.78 | 0.308 |
| IQRC011 | 76 | 77 | 0.061 | 0.015 | 0.076 | 0.75 | 2.73 | 7.4 | 6.8 | 7.5 | 0.8 | 0.35 |
| IQRC011 | 77 | 78 | 0.167 | 0.033 | 0.200 | 1.08 | 4.9 | 12.6 | 21 | 9.1 | 0.93 | 1.225 |
| IQRC011 | 78 | 79 | 0.150 | 0.034 | 0.184 | 1.26 | 4.16 | 13.7 | 20.2 | 12.2 | 1.19 | 1.08 |
| IQRC011 | 79 | 80 | 0.173 | 0.037 | 0.209 | 1.16 | 3.5 | 20.7 | 24.2 | 9.4 | 1.82 | 1.365 |
| IQRC011 | 80 | 84 | 0.065 | 0.008 | 0.073 | 0.69 | 1.42 | 11.05 | 9 | 5.5 | 1.44 | 0.531 |
| IQRC011 | 84 | 88 | 0.097 | 0.010 | 0.107 | 1.07 | 1.92 | 13.2 | 11.9 | 6.8 | 1.6 | 0.667 |
| IQRC011 | 88 | 92 | 0.094 | 0.018 | 0.111 | 0.85 | 3.02 | 14.5 | 11.5 | 16.4 | 2.19 | 0.576 |
| IQRC011 | 92 | 96 | 0.086 | 0.014 | 0.100 | 1.81 | 2.44 | 22.7 | 10.8 | 15.8 | 4.38 | 0.485 |
| IQRC011 | 96 | 100 | 0.062 | 0.011 | 0.073 | 0.87 | 1.75 | 16.55 | 10.7 | 11.6 | 2.66 | 0.452 |
| IQRC011 | 100 | 104 | 0.057 | 0.011 | 0.068 | 0.75 | 1.64 | 18 | 12.9 | 13.8 | 2.93 | 0.444 |
| IQRC011 | 104 | 108 | 0.046 | 0.011 | 0.057 | 0.59 | 1.18 | 15.7 | 11 | 12.3 | 3.17 | 0.398 |
| IQRC011 | 108 | 112 | 0.035 | 0.011 | 0.046 | 0.51 | 0.84 | 19.6 | 13 | 17.9 | 4.15 | 0.38 |
| IQRC011 | 112 | 116 | 0.025 | 0.007 | 0.032 | 0.36 | 0.73 | 21.2 | 12.9 | 19.4 | 5.47 | 0.32 |
| IQRC011 | 116 | 120 | 0.011 | 0.003 | 0.013 | 0.13 | 0.32 | 49.9 | 8.5 | 15 | 12 | 0.233 |

Appendix B: JORC Code, 2012 Edition – Table 1 report template

1.1 Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|----------------------------|---|--|
| Sampling techniques | <ul style="list-style-type: none"> • <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> | <ul style="list-style-type: none"> • All drilling and sampling was undertaken in an industry standard manner. • RC hole samples were collected on a 1m basis from a cone splitter mounted on the drill rig cyclone, in depth pre-numbered calico bags. The remaining metre was then collected in pre-numbered green polyethylene bags and (with the pre-numbered calico bags) laid out in rows of 30. A 50g sample was collected from each pile and collected in a depth pre-numbered paper packet. This sample was then in turn placed into a semi-transparent plastic cup, with a clear transparent film at its base. This was then placed in a Vanta pXRF Work Station and analysed for 30 seconds (3 x 10 second beam) utilising an Olympus pXRF machine. Any base metal anomalism >500ppm encountered throughout the drilling was selected for 1 metre sampling, whereby the depth numbered calico was placed in a pre-numbered SKR***** prefixed bag. 1m sample ranged from a typical 2.5-3.5kg. All other samples were collected using a spear and collected over 4 metre composites. These were also placed in pre-numbered SKR***** pre-fixed calico bags and sampled sequentially. Base metal standard reference material was used throughout the pXRF analysis process and were also inserted into every 50th pre-numbered SKR***** prefixed bag. • The independent laboratory pulverises the entire sample for analysis as described below. • Iroquois historic RC and DDH drilling by RGC, sampling techniques or methodology is not included in any of the historic WAMEX Open File reports relating to the historic RGC exploration work. |
| Drilling techniques | <ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> | <ul style="list-style-type: none"> • Reverse Circulation with a 5 and a 1/2 inch drill bit. |

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| Drill sample recovery | <ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <ul style="list-style-type: none"> • RC samples were visually assessed for recovery. • Samples are considered representative with generally good recovery. Holes greater than 60 metres encountered water, with some samples having less than optimal recovery and possible contamination. • No sample bias is observed |
| Logging | <ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> • The entire hole has been geologically logged by a Company geologist. • RC sample results are appropriate to use in a future resource estimation, except where sample recovery is poor. • Each chip tray was photographed and catalogued within STK's digital filing structure. |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> • RC hole samples were collected on a 1m basis from a cone splitter mounted on the drill rig cyclone, in depth pre-numbered calico bags. The remaining metre was then collected in pre-numbered green polyethylene bags and (with the pre-numbered calico bags) laid out in rows of 30. A 50g sample was collected from each pile and collected in a depth pre-numbered paper packet. This sample was then in turn placed into a semi-transparent plastic cup, with a clear transparent film at its base. This was then placed in a Vanta pXRF Work Station and analysed for 30 seconds (3 x 10 second beam) utilising an Olympus pXRF machine. Any base metal anomalism >500ppm encountered throughout the drilling was selected for 1 metre sampling, whereby the depth numbered calico was placed in a pre-numbered SKR***** prefixed bag. 1m sample ranged from a typical 2.5-3.5kg. All other samples were collected using a spear and collected over 4 metre composites. These were also placed in pre-numbered SKR***** prefixed calico bags and sampled sequentially. • Base metal standard reference material was used throughout the pXRF analysis process and were also inserted into every 50th pre-numbered SKR***** prefixed bag. • Each sample was dried, split, crushed and pulverised. • Sample sizes are considered appropriate for the material sampled. • The samples are considered representative and appropriate for this type of drilling. |

| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| | | <ul style="list-style-type: none"> RC samples are mostly appropriate for use in a resource estimate |
| Quality of assay data and laboratory tests | <ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. | <p>All samples were submitted to ALS laboratory in Perth for Au (50g) by Fire Assay with AAS finish and a (75g) multi element assay via a four acid digestion with an ICP-MS finish.</p> <p>The techniques are considered quantitative in nature.</p> <p>Certified standard reference material (suitable for this style of mineralisation) was inserted by the Company, at a frequency of every 50th sample. ALS also inserted internal standards as part of its own QAQC process.</p> <p>No duplicates were taken during this initial phase of drilling.</p> <p>The standard results from both the pXRF analysis and laboratory analysis are considered satisfactory.</p> |
| Verification of sampling and assaying | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <ul style="list-style-type: none"> Sample results have been imported into Datashed by Mitchell River Group (company's database consultants). Results have been uploaded into the company database, checked and verified. No adjustments have been made to the assay data. Results are reported on a length weighted basis. |
| Location of data points | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | <p>RC drill collar location are located using a handheld Garmin Montana GPS which has an accuracy of +/-3m</p> <p>Coordinate grid system is MGA94 zone 51 for collar location points. A nominal RL of 500 metres was assigned to each drill collar.</p> <p>Diagrams and a collar information table is provided in the report.</p> |
| Data spacing and distribution | <ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. | <ul style="list-style-type: none"> This initial phase of RC drilling was conducted at 100 metres NW-SE and 300 metres NE-SW. Further drilling was undertaken to delineate the size and scale of grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s). No sample compositing has been applied to these results. |

| Criteria | JORC Code explanation | Commentary |
|--|--|--|
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> | <ul style="list-style-type: none"> • Drilling was conducted perpendicular to the main strike in orientation of the identified “feeder” extensional fault, which is believed to be one of the main fluid conduits across Iroquois. • The mineralisation is a classic Mississippi Valley Type strata bound deposit, hosted within the Iroquois Dolomite, which shallowly dips to the west. Given the relatively flat-lying nature in the mineralisation, and the orientation of the drilling, sampling is believed to be unbiased. |
| Sample security | <ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> | <ul style="list-style-type: none"> • Sampling was recorded in both hardcopy and digital format. These were collected by company personnel and delivered directly to the laboratory via STK personnel. |
| Audits or reviews | <ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> | <ul style="list-style-type: none"> • The initial RC assay results from IQRC001 and IQRC003 were assessed by Dr Nigel Brand (Geochemical Services Pty Ltd). |

1.2 Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | JORC Code explanation | Commentary |
|--|---|--|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | <ul style="list-style-type: none"> The Iroquois prospect is located on E69/2820 which is in JV. 80% is held by Strickland Minerals Ltd and 20% (free carried interest) is held by Gibb River Diamond Ltd. L11 Capital Pty Ltd holds a 1% gross revenue royalty over Strickland Metals Ltd's 80% interest. |
| Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <ul style="list-style-type: none"> The majority of exploration work at Iroquois was undertaken by RGC Exploration Ltd. Several shallow aircore holes were carried out by Phosphate Australia Ltd, who have since changed their name to Gibb River Diamonds Ltd. This shallow, follow-up drilling, identified base metal mineralisation (>1% Zn + Pb + Mn), which was associated with heavily weathered manganiferous clays. This enrichment is now believed to be associated with secondary enrichment processes due to fluctuations in the water table and is not primary mineralisation. |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <ul style="list-style-type: none"> The Zn-Pb base metal mineralisation at Iroquois has all the characteristics of a Mississippi Valley Type (Pb-Zn-Ag) orebody. Mineralisation intersected to date is hosted within the Iroquois dolomite unit within the Yelma Formation which is part of the Tooloo Subgroup belonging to the Earraheedy Basin. |
| Drill hole Information | <ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly | <ul style="list-style-type: none"> Drill hole location and directional information is provided in the report. |

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| | <i>explain why this is the case.</i> | |
| Data aggregation methods | <ul style="list-style-type: none"> <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> | <ul style="list-style-type: none"> Results are reported to a minimum cutoff grade of 0.1% Pb and 0.1% Zn with an internal dilution of up to 2 metres. Intercepts are length weighted averaged. No maximum cutoff grades have been applied. |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> <i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> | <ul style="list-style-type: none"> The geometry of the mineralisation at Iroquois is believed to be generally flat-lying. |
| Diagrams | <ul style="list-style-type: none"> <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> | <ul style="list-style-type: none"> Please refer to the main body of text. |
| Balanced reporting | <ul style="list-style-type: none"> <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> | <ul style="list-style-type: none"> All drill collars are shown in figures and all significant results are provided in this report. The report is considered balanced and provided in context. |
| Other substantive exploration data | <ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> | <ul style="list-style-type: none"> The sulphides intersected in the drilling are relatively coarse grained, which is typical for an MVT deposit. No other exploration data is regarded as being meaningful or material for this announcement. |
| Further work | <ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> | <ul style="list-style-type: none"> An additional soil sample program has been designed to define the extents of the main Iroquois 'feeder' fault structure. A ground Induced Dipole-Dipole IP survey will be undertaken across the extents of this defined structure to delineate further areas of base metal mineralisation. A Native Title Heritage Survey is scheduled to be undertaken at the start of April 2022, to allow for extensional drill target testing. |

| Criteria | JORC Code explanation | Commentary |
|----------|-----------------------|---|
| | | <ul style="list-style-type: none"> Upon the completion of these activities, RC and diamond drilling will be undertaken to further define Pb-Zn mineralisation and assist in defining an initial Pb-Zn inferred resource. |